SAN JACINTO RESIDENTIAL TTM 38202 PROJECT

AIR QUALITY/GREENHOUSE STUDY

Prepared for:

VCS ENVIRONMENTAL, INC.

30900 Rancho Viejo Road, Suite 100 San Juan Capistrano, CA 92675

Prepared by:



SAN JACINTO RESIDENTIAL TTM 38202 PROJECT SAN JACINTO, CALIFORNIA

AIR QUALITY and GREENHOUSE GAS STUDY

Table of Contents

	Page
PROJECT DESC	RIPTION1
SETTING	4
	tion Regulation4
	Climate and Local Air Quality8
	ity Management Plan9
	Receptors
AIR QUALITY I	MPACT ANALYSIS11
Methodo	ology and Significance Thresholds11
Construc	etion Emissions
Long-Te	rm Regional Impacts
GREENHOUSE	GAS EMISSION DISCUSSION20
CLIMATE CHA	NGE IMPACT ANALYSIS31
	of GHG Emissions
REFERENCES	37
List of Figures	
Figure 1	Vicinity Map2
•	Site Plan
0	
List of Tables	
Table 1	Current Federal and State Ambient Air Quality Standards
Table 2	Ambient Air Quality Data10
Table 3	Estimated Maximum Daily Construction Emissions
Table 4	SCAQMD LSTs for Construction
Table 5	Estimated Operational Emissions
Table 6	Estimated On-Site Operating Emissions
Table 7	Estimated Construction Related Greenhouse Gas Emissions
Table 8	Estimated Annual Energy-Related Greenhouse Gas
	Emissions 34
Table 9	Existing and Proposed Estimated Annual Solid
	Waste and Water Use Greenhouse Gas Emissions
Table 10	Estimated Annual Mobile Emissions of Greenhouse Gases35

i

	Table 11	Combined Annual Greenhouse Gas Emissions	35
Appei	ndices		
	Appendix	A CalEEMod Air Quality and Greenhouse Gas Emissions Model Results Summer/Annual Emissions	-

SAN JACINTO RESIDENTIAL TTM 38202 PROJECT SAN JACINTO, CALIFORNIA

AIR QUALITY and GREENHOUSE GAS STUDY

This report is an analysis of the potential air quality and greenhouse gas impacts associated with the proposed Tentative Tract Map 38202 in the City of San Jacinto, California. This report has been prepared by Birdseye Planning Group (BPG) under contract to the applicant, to support preparation of the environmental documentation pursuant to the California Environmental Quality Act (CEQA). This study analyzes the potential for temporary air quality and greenhouse gas impacts associated with construction activity and long-term impacts associated with operation of the proposed project.

PROJECT DESCRIPTION

The proposed Project would develop an approximately 33.8-acre vacant site with up to 181 single-family residential homes and associated infrastructure. The Project requires subdividing five (5) existing parcels (APNs 436-280-011, 436-280-012, 436-280-013, 436-280-014 and 436-280-025) (Figure 1 – Vicinity Map). Lot sizes would vary within an approximate range of 5,000 to 8,000 square feet. The Project proposes to modify development standards and reduce the minimum RL lot size below 7,200 square feet and density above 2.1 units per acre as allowable under a Planned Development Permit (PDP), Site Plan, and Design Review. The preliminary site plan is shown on Figure 2 – Proposed Site Plan.

Access to the new development would be provided from Lyon Avenue/Appaloosa Drive and Marilyn Drive/Estrella Street. Internal vehicular and pedestrian circulation would be accessible on new streets and sidewalks that would be publicly maintained in the future. Parking would be accommodated in two-car garages, two-car driveways, and on public streets.

Offsite improvements include connecting the proposed internal circulation system to the intersections of Lyon Avenue/Appaloosa Drive and Marilyn Drive/Estrella Street; connecting to existing utility systems within Lyon Avenue; frontage improvements along Lyon Avenue including a Class I multi-use path (per City of San Jacinto Trails Master Plan), sidewalk and street lights; and constructing a portion of the San Jacinto Valley Master Drainage Plan storm drain system Line G-3 from Marilyn Drive/Estrella Street along the northeast edge of the development to a future connection point (note: continuation of Line G-3 to be constructed by others) at the Monte Vista Middle School property to the north. Total off-site improvements would comprise approximately 1.26 acres.

Project construction stages would include site preparation, import of fill soils, grading, building construction (and construction of offsite facilities), underground utility construction, export of lot spoils and street paving. Project construction is anticipated to begin in the first quarter of 2023 and end late in the first quarter of 2025.



Figure 1 — Vicinity Map




Figure 2 — Site Plan

SETTING

Air Pollution Regulation

The federal and state governments have been empowered by the federal and state Clean Air Acts to regulate emissions of airborne pollutants and have established ambient air quality standards for the protection of public health. The EPA is the federal agency designated to administer air quality regulation, while the California Air Resources Board (ARB) is the state equivalent in California. Federal and state standards have been established for six criteria pollutants, including ozone (O₃), carbon monoxide (CO), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), particulates less than 10 and 2.5 microns in diameter (PM₁₀ and PM_{2.5}), and lead (Pb). California has also set standards for sulfates, hydrogen sulfide, vinyl chloride, and visibility-reducing particles. Table 1 lists the current federal and state standards for each of these pollutants. Standards have been set at levels intended to be protective of public health. California standards are generally more restrictive than federal standards for each of these pollutants except lead and the eight-hour average for CO.

Local control in air quality management is provided by the ARB through county-level or regional (multi-county) Air Pollution Control Districts (APCDs). The ARB establishes air quality standards and is responsible for control of mobile emission sources, while the local APCDs are responsible for enforcing standards and regulating stationary sources. The ARB has established 15 air basins statewide. The project site is located within the South Coast Air Basin (Basin), which includes all of Orange County and the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties. Air quality conditions in the Basin are under the jurisdiction of the South Coast Air Quality Management District (SCAQMD). The SCAQMD is required to monitor air pollutant levels to ensure that air quality standards are met and, if they are not met, to develop strategies to meet the standards. Depending on whether the standards are met or exceeded, the local air basin is classified as being in "attainment" or "non-attainment." The Basin, in which the project area is located, is a non-attainment area for both the federal and state standards for ozone and PM25. The Basin is designated nonattainment for state standards and a maintenance area for federal PM10 standards. For nitrogen oxide and carbon monoxide, the Basin is designated attainment for state standards and unclassified/attainment for federal standards. Characteristics of ozone, carbon monoxide, nitrogen dioxide, and suspended particulates are described below.

Ozone. Ozone is produced by a photochemical reaction (triggered by sunlight) between nitrogen oxides (NOx) and reactive organic gases (ROG)¹. Nitrogen oxides are formed during the combustion of fuels, while reactive organic compounds are formed during combustion and

1

¹ Organic compound precursors of ozone are routinely described by a number of variations of three terms: hydrocarbons (HC), organic gases (OG), and organic compounds (OC). These terms are often modified by adjectives such as total, reactive, or volatile, and result in a rather confusing array of acronyms: HC, THC (total hydrocarbons), RHC (reactive hydrocarbons), TOG (total organic gases), ROG (reactive organic gases), TOC (total organic compounds), ROC (reactive organic compounds), and VOC (volatile organic compounds). While most of these differ in some significant way from a chemical perspective, from an air quality perspective two groups are important: non-photochemically reactive in the lower atmosphere, or photochemically reactive in the lower atmosphere (HC, RHC, ROG, ROC, and VOC).

Table 1 State and Federal Ambient Air Quality Standards

State and Federal Ambient Air Quality Standards AVERAGE CALIFORNIA STANDARDS ¹ NATIONAL STANDARDS ²							
POLLUTANT	AVERAGE			NATIONAL STANDARDS ²			
	TIME	Concentration ³	Method ⁴	Primary ^{3, 5}	Secondary ^{3, 6}	Method ⁷	
Ozone ⁸	1 hour	0.09 ppm (180 μg/m³)	Ultraviolet	_	Same as Primary	Ultraviolet Photometry	
(O ₃)	8 hours	0.070 ppm (137μg/m³)	Photometry	0.070 ppm (137 μg/m³)	Standard		
Carbon Monoxide	8 hours	9.0 ppm (10 mg/m³)	Non-Dispersive Infrared	9 ppm (10 mg/m³)		Non-Dispersive Infrared Spectroscopy (NDIR)	
(CO)	1 hour	20 ppm (23 mg/m³)	Spectroscopy (NDIR)	35 ppm (40 mg/m³)			
Nitrogen Dioxide	Annual Average	0.030 ppm (57 μg/m³)	Gas Phase Chemiluminescence	0.053 ppm (100 μg/m³)	Same as Primary Standard	Gas Phase Chemiluminescence	
(NO ₂) ¹⁰	1 hour	0.18 ppm (339 μg/m³)	Chemiuminescence	100 ppb (188 μg/m³)		Chemiumnescence	
Sulfur Dioxide	Annual Average			0.03 ppm (80 μg/m³)			
	24 hours	0.04 ppm (105 μg/m³)	Ultraviolet	0.14 ppm (365 μg/m³)		D	
(SO ₂) ¹¹	3 hours		Fluorescence		0.5 ppm (1300 μg/m³)	Pararosaniline	
	1 hour	0.25 ppm (655 μg/m³)		75 ppb (196 μg/m³)			
Respirable	24 hours	50 μg/m³		150 μg/m ³	150 μg/m ³	Inertial Separation	
Particulate Matter (PM10)9	Annual Arithmetic Mean	20 μg/m³	Gravimetric or Beta Attenuation	ł	1-	and Gravimetric Analysis	
Fine Particulate	Annual Arithmetic Mean	12 μg/m³	Gravimetric or Beta	12 μg/m³	15 μg/m³	Inertial Separation	
Matter (PM _{2.5}) ⁹	24 hours		Attenuation	35 μg/m³	Same as Primary Standard	and Gravimetric Analysis	
Sulfates	24 hours	25 μg/m³	Ion Chromatography				
Lead ^{12, 13}	30-day Average	1.5 μg/m³				High Volume	
(Pb)	Calendar Quarter		Atomic Absorption	1.5 μg/m³		Sampler and Atomic Absorption	

POLLUTANT	AVERAGE	CALIFORNIA STANDARDS ¹		NATIONAL STANDARDS ²		
FOLLUTANT	TIME	Concentration ³	Method ⁴	Primary ^{3, 5}	Secondary ^{3, 6}	Method ⁷
	3-month Rolling Average			0.15 μg/m³	Same as Primary Standard	
Hydrogen Sulfide (H ₂ S)	1 hour	0.03 ppm (42 μg/m³)	Ultraviolet Fluorescence	ł	ł	
Vinyl Chloride ¹²	24 hours	0.010 ppm (26 μg/m³)	Gas Chromatography	-		

Notes:

ppm = parts per million $\mu g/m^3$ = micrograms per cubic meter

mg/m³ = milligrams per cubic meter

Source: California Air Resources Board 2017

- 1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1 and 24 hour), nitrogen dioxide, and particulate matter (PM₁₀, PM_{2.5}, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
- 2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 μ g/m³ is equal to or less than one. For PM2.5, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
- 3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
- 4. Any equivalent measurement method which can be shown to the satisfaction of the CARB to give equivalent results at or near the level of the air quality standard may be used.
- 5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
- 6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
- 7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
- 8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
- 9. On December 14, 2012, the national annual PM_{2.5} primary standard was lowered from 15 μg/ m³ to 12.0 μg/ m³. The existing national 24-hour PM_{2.5} standards (primary and secondary) were retained at 35 μg/ m³, as was the annual secondary standard of 15 μg/ m³. The existing 24-hour PM₁₀ standards (primary and secondary) of 150 μg/ m³ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.

- 10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
- 11. On June 2, 2010, a new 1-hour SO₂ standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO₂ national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.
 - Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
- 12. The CARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
- 13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 μ g/ m³ as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
- 14. In 1989, the CARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

evaporation of organic solvents. Because ozone requires sunlight to form, it mostly occurs in concentrations considered serious between the months of April and October. Ozone is a pungent, colorless, toxic gas with direct health effects on humans including respiratory and eye irritation and possible changes in lung functions. Groups most sensitive to ozone include children, the elderly, people with respiratory disorders, and people who exercise strenuously outdoors.

<u>Carbon Monoxide</u>. Carbon monoxide is a local pollutant that is found in high concentrations only near the source. The major source of carbon monoxide, a colorless, odorless, poisonous gas, is automobile traffic. Elevated concentrations, therefore, are usually only found near areas of high traffic volumes. Carbon monoxide's health effects are related to its affinity for hemoglobin in the blood. At high concentrations, carbon monoxide reduces the amount of oxygen in the blood, causing heart difficulties in people with chronic diseases, reduced lung capacity and impaired mental abilities.

<u>Nitrogen Dioxide</u>. Nitrogen dioxide (NO₂) is a by-product of fuel combustion, with the primary source being motor vehicles and industrial boilers and furnaces. The principal form of nitrogen oxide produced by combustion is nitric oxide (NO), but NO reacts rapidly to form NO₂ creating the mixture of NO and NO₂ commonly called NO_x. Nitrogen dioxide is an acute irritant. A relationship between NO₂ and chronic pulmonary fibrosis may exist, and an increase in bronchitis in young children at concentrations below 0.3 parts per million (ppm) may occur.

Nitrogen dioxide absorbs blue light and causes a reddish-brown cast to the atmosphere and reduced visibility. It can also contribute to the formation of PM₁₀ and acid rain.

Suspended Particulates. PM10 is particulate matter measuring no more than 10 microns in diameter, while PM2.5 is fine particulate matter measuring no more than 2.5 microns in diameter. Suspended particulates are mostly dust particles, nitrates and sulfates. Both PM10 and PM_{2.5} are by-products of fuel combustion and wind erosion of soil and unpaved roads and are directly emitted into the atmosphere through these processes. Suspended particulates are also created in the atmosphere through chemical reactions. The characteristics, sources, and potential health effects associated with the small particulates (those between 2.5 and 10 microns in diameter) and fine particulates (PM2.5) can be very different. The small particulates generally come from windblown dust and dust kicked up from mobile sources. The fine particulates are generally associated with combustion processes as well as being formed in the atmosphere as a secondary pollutant through chemical reactions. Fine particulate matter is more likely to penetrate deeply into the lungs and poses a health threat to all groups, but particularly to the elderly, children, and those with respiratory problems. More than half of the small and fine particulate matter that is inhaled into the lungs remains there. These materials can damage health by interfering with the body's mechanisms for clearing the respiratory tract or by acting as carriers of an absorbed toxic substance.

<u>Toxic Air Contaminants/Diesel Particulate Matter.</u> Hazardous air pollutants, also known as toxic air pollutants (TACs) or air toxics, are those pollutants that are known or suspected to cause cancer or other serious health effects, such as reproductive effects or birth defects, or adverse environmental effects. Examples of toxic air pollutants include:

- benzene, which is found in gasoline;
- perchloroethylene, which is emitted from some dry-cleaning facilities; and
- methylene chloride, which is used as a solvent.

Transportation related emissions are focused on particulate matter constituents within diesel exhaust and TAC constituents that comprise a portion of total organic gas (TOG) emissions from both diesel and gasoline fueled vehicles. Diesel engine emissions are comprised of exhaust particulate matter and TOGs which are collectively defined as Diesel Particulate Matter (DPM). DPM and TOG emissions from both diesel and gasoline fueled vehicles is typically composed of carbon particles and carcinogenic substances including polycyclic aromatic hydrocarbons, benzene, formaldehyde, acetaldehyde, acrolein, and 1,3-butadiene. Diesel exhaust also contains gaseous pollutants, including volatile organic compounds and oxides of nitrogen (NO_x).

Regional Climate and Local Air Quality

South Coast Air Basin. The combination of topography, low mean mixing height, abundant sunshine, and emissions from the second largest urban area in the United States gives the SCAB the worst air pollution problem in the nation. Climate in the SCAB is determined by its terrain and geographical location. The SCAB consists of a coastal plain with connecting broad valleys and low hills. The Pacific Ocean forms the southwestern border, and high mountains surround

the rest of the SCAB. The SCAB lies in the semi-permanent high-pressure zone of the eastern Pacific. The resulting climate is mild and is tempered by cool ocean breezes. This climatological pattern is rarely interrupted. However, periods of extremely hot weather, winter storms or easterly Santa Ana wind conditions can occur.

Annual average temperatures vary little throughout the SCAB, ranging from the low-to-middle 60s, measured in degrees Fahrenheit. With a more pronounced oceanic influence, coastal areas show less variability in annual minimum and maximum temperatures than inland areas. The majority of annual rainfall in the SCAB occurs between October and March. Summer rainfall is minimal and generally limited to scattered thundershowers in coastal regions and slightly heavier showers in the eastern portion of the SCAB and along the coastal side of the mountains. Average temperatures in winter months in the project area range from a low of 34 degrees F to a high of 68 degrees F. In the summer, average temperatures range from a low of 59 degrees F to a high of 98 degrees F. During an average year, the greatest amount of precipitation, 2.86 inches, occurs in February.

The SCAQMD operates a network of 38 ambient air monitoring stations throughout the South Coast Air Basin. The purpose of the monitoring stations is to measure ambient concentrations of the pollutants and determine whether the ambient air quality meets the California and federal standards. The air quality monitoring station located nearest to the project site is the Perris station, located approximately 6.5 miles southeast of the project site. As referenced in Table 2, data were also obtained from the Lake Elsinore monitoring station located on West Flint approximately 13 miles southwest of the project site. Table 2 provides a summary of monitoring data at the Perris station for ozone and PM10. Nitrogen oxide and PM2.5 data from the West Flint Street monitoring station are also provided. As referenced, the SCAB is a nonattainment area for PM2.5.

As shown, both the federal and state ozone standards were exceeded at the Perris monitoring station during each of the last three years. The federal PM₁₀ standard was not exceeded during the last three years. With respect to PM_{2.5}, insufficient data was available to determine whether the federal or state standard was exceeded.

Air Quality Management Plan

Under state law, the SCAQMD is required to prepare a plan for air quality improvement for pollutants for which the District is in non-compliance. The SCAQMD updates the plan every three years. Each iteration of the SCAQMD's Air Quality Management Plan (AQMP) is an update of the previous plan and has a 20-year horizon. SCAQMD adopted the 2016 AQMP in March 2017. The 2016 AQMP incorporates new scientific data and notable regulatory actions that have occurred since adoption of the 2012 AQMP. The 2022 AQMP is currently being developed by SCAQMD to address the EPA's strengthened ozone standard. Development of the 2022 AQMP is in its early stages and no formal timeline for completion and adoption is currently known.

Table 2 Ambient Air Quality Data

Pollutant	2018	2019	2020
Ozone, ppm – First High 8-Hour Average (2015 Standard)	0.103	0.095	0.106
Number of days of above 2015 standard (>0.070 ppm)	67	64	74
Nitrogen Dioxide, ppm – First High National	41.3	38.0	43.6
Nitrogen Dioxide, ppm – First High State	41	38	43
Days above the State standard (>0.18 ppm)	0	0	0
Days above the national standard (>100 ppb)	0	0	0
Particulate Matter <10 microns, μg/m³ First High Federal	64.4	97	92.3
Particulate Matter <10 microns, μg/m³ First High State	64.4	92.1	87.6
Estimated number of days greater than national 24-hour standard (>150 μg/m³)	0	0	*
Estimated number of days greater than state standard (>50 μg/m³)	12.1	24.5	*
Particulate Matter <2.5 microns, μg/m³ First High	31.3	17.6	41.6
Annual average (exceedances of 12 μg/m³ standard not reported)	*	*	*
Number of samples of Federal exceedances (>12 μg/m³)	*	*	*

Perris – 237 1/2 North D Street Monitoring Station

Note – Nitrogen Dioxide and PM2.5 data from Lake Elsinore West Flint Street monitoring station

Source: California Air Resources Board, 2018, 2019, 2020 Annual Air Quality Data Summaries available at https://www.arb.ca.gov/adam/topfour/topfour1.php

The 2016 AQMP was prepared to ensure continued progress towards clean air and comply with state and federal requirements. This AQMP builds upon the approaches taken in the 2012 AQMP for the South Coast Air Basin for the attainment of State and federal ozone air quality standards. The 2016 AQMP incorporates the 2016 Regional Transportation Plan/Sustainable Communities Strategy and updated emission inventory methodologies for applicable source categories. The 2016 AQMP also includes the new and changing federal requirements, implementation of new technology measures, and the continued development of economically sound, flexible compliance approaches. The 2016 AQMP is available to download at http://www.aqmd.gov/home/library/clean-air-plans/air-quality-mgt-plan/final-2016-aqmp.

Sensitive Receptors

Sensitive receptors include, but are not limited to, hospitals, schools, daycare facilities, elderly housing and convalescent facilities. These are areas where the occupants are more susceptible to the adverse effects of exposure to air pollutants. Ambient air quality standards have been established to represent the levels of air quality considered sufficient, with an adequate margin of safety, to protect public health and welfare as well that segment of the public most susceptible to respiratory distress, such as children under 14; the elderly over 65; persons

^{*}Data insufficient to determine the value

engaged in strenuous work or exercise; and people with cardiovascular and chronic respiratory diseases. The closest properties defined herein as sensitive receptors are single-family residences and Monte Vista Middle School located within approximately 50 feet of the eastern and northern project boundary, respectively.

AIR QUALITY IMPACT ANALYSIS

Methodology and Significance Thresholds

This air quality analysis conforms to the methodologies recommended in the SCAQMD's *CEQA Air Quality Handbook* (1993). The handbook includes thresholds for emissions associated with both construction and operation of proposed projects. All emissions were calculated using the California Emissions Estimator Model (CalEEMod) software version 2020.4.0.

Construction activities such as clearing, grading and excavation would generate diesel and dust emissions. Construction equipment that would generate criteria air pollutants includes excavators, graders, dump trucks, and loaders. To provide a conservative evaluation of construction emissions, it was assumed that all construction equipment used would be diesel-powered. Construction emissions associated with development of the proposed project were calculated by estimating the types of equipment (including the number) that would be used on-site during each of the construction phases. Construction emissions are analyzed using the regional thresholds established by the SCAQMD and published in the CEQA Air Quality Handbook.

Operational emissions include mobile source emissions, energy emissions, and area source emissions. Mobile source emissions are generated by motor vehicle trips associated with operation of the project. Emissions attributed to energy use include electricity and natural gas consumption for space and water heating. Area source emissions are generated by landscape maintenance equipment, consumer products and architectural coatings (i.e., paints). To determine whether a regional air quality impact would occur, the increase in emissions are compared with the SCAQMD's recommended regional thresholds for operational emissions. Projects that meet the SCAQMD daily thresholds have no significant project-specific air quality impact and do not contribute to significant cumulative air quality impacts.

Regional Thresholds. Based on Appendix G of the CEQA Guidelines (2021), a project would have a significant air quality impact if it would:

- a) Conflict with or obstruct implementation of the applicable air quality plan;
- b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard;
- c) Expose sensitive receptors to substantial pollutant concentrations;
- d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

The SCAQMD has developed specific quantitative thresholds that apply to projects within the SCAB. The following significance thresholds apply to short-term construction activities:

- 75 pounds per day of ROG
- 100 pounds per day of NOx
- 550 pounds per day of CO
- 150 pounds per day of SOx
- 150 pounds per day of PM10
- 55 pounds per day of PM2.5

The following significance thresholds apply to long-term operational emissions:

- 55 pounds per day of ROG
- 55 pounds per day of NOx
- 550 pounds per day of CO
- 150 pounds per day of SOx
- 150 pounds per day of PM₁₀
- 55 pounds per day of PM2.5

Construction Emissions

Project construction would generate temporary air pollutant emissions. These impacts are associated with fugitive dust (PM_{10} and $PM_{2.5}$) and exhaust emissions from heavy construction vehicles, work crew vehicle trips in addition to ROG that would be released during the drying phase upon application of paint and other architectural coatings. Construction would generally consist of demolition, site preparation, grading, construction of the proposed buildings, paving, and architectural coating (i.e., paint) application. The project site is vacant.

This analysis assumes that 136,562 cubic yards of soil import would be required. The project would be required to comply with SCAQMD Rule 403, which identifies measures to reduce fugitive dust and is required to be implemented at all construction sites located within the South Coast Air Basin. Therefore, the following conditions, which are required to reduce fugitive dust in compliance with SCAQMD Rule 403, were included in CalEEMod for site preparation and grading phases of construction.

- 1. Minimization of Disturbance. Construction contractors should minimize the area disturbed by clearing, grading, earth moving, or excavation operations to prevent excessive amounts of dust.
- 2. Soil Treatment. Construction contractors should treat all graded and excavated material, exposed soil areas, and active portions of the construction site, including unpaved on-site roadways to minimize fugitive dust. Treatment shall include, but not necessarily be limited to, periodic watering, application of environmentally safe soil stabilization materials,

- and/or roll compaction as appropriate. Watering shall be done as often as necessary, and at least twice daily, preferably in the late morning and after work is done for the day.
- 3. Soil Stabilization. Construction contractors should monitor all graded and/or excavated inactive areas of the construction site at least weekly for dust stabilization. Soil stabilization methods, such as water and roll compaction, and environmentally safe dust control materials, shall be applied to portions of the construction site that are inactive for over four days. If no further grading or excavation operations are planned for the area, the area shall be seeded and watered until landscape growth is evident, or periodically treated with environmentally safe dust suppressants, to prevent excessive fugitive dust.
- **4. No Grading During High Winds.** Construction contractors should stop all clearing, grading, earth moving, and excavation operations during periods of high winds (20 miles per hour or greater, as measured continuously over a one-hour period).
- **5. Street Sweeping.** Construction contractors should sweep all on-site driveways and adjacent streets and roads at least once per day, preferably at the end of the day, if visible soil material is carried over to adjacent streets and roads.

Construction emissions modeling for demolition, site preparation, grading, building construction, paving, and architectural coating application is based on the overall scope of the proposed development and construction phasing which is expected to begin early 2023 and extend through late 2025. The total area disturbed as a result of the project would be 35.06 acres with construction of the residences and immediate off-site street and stormwater Line G-3 improvements. For modeling purposes, it was assumed the site would be watered three times daily. In addition to SCAQMD Rule 403 requirements, emissions modeling also accounts for the use of low-VOC paint (50 g/L for non-flat coatings) as required by SCAQMD Rule 1113. Further, the application of architectural coatings was overlapped with the building construction phase to reflect a typical construction scenario. This approach reduces daily VOC emissions relative to those calculated using CalEEMod construction phasing defaults. Table 3 summarizes the estimated maximum daily emissions of pollutants occurring during construction. As shown in Table 3, construction of the proposed project would not exceed the SCAQMD regional thresholds. No mitigation would be required with implementation of standard SCAQMD Rule 403 and Rule 1113 dust control measures.

<u>Localized Significance Thresholds</u>. The SCAQMD has published a "Fact Sheet for Applying CalEEMod to Localized Significance Thresholds" (South Coast Air Quality Management District 2011). CalEEMod calculates construction emissions based on the number of equipment hours and the maximum daily disturbance activity possible for each piece of equipment. Construction-related emissions reported by CalEEMod are compared to the localized

Table 3
Estimated Maximum Unmitigated Daily Construction Emissions

Construction Disease	Maximum Emissions (lbs/day)						
Construction Phase	ROG	NOx	со	SOx	PM ₁₀	PM _{2.5}	
2023 Maximum Ibs/day	3.7	47.7	32.1	0.13	16.6	8.2	
2024 Maximum lbs/day	1.7	14.1	18.6	0.03	1.4	0.8	
2025 Maximum lbs/day	34.1	23.0	35.6	0.06	2.1	1.2	
SCAQMD Regional Thresholds	75	100	550	150	150	55	
Threshold Exceeded 2023	No	No	No	No	No	No	
Threshold Exceeded 2024	No	No	No	No	No	No	
Threshold Exceeded 2025	No	No	No	No	No	No	

significance threshold lookup tables. The CalEEMod output in Appendix A shows the equipment assumed for this analysis.

LSTs were devised in response to concern regarding exposure of individuals to criteria pollutants in local communities. LSTs represent the maximum emissions from a project that will not cause or contribute to an air quality exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest sensitive receptor, taking into consideration ambient concentrations in each source receptor area (SRA), project size and distance to the sensitive receptor. However, LSTs only apply to emissions within a fixed stationary location, including idling emissions during both project construction and operation. LSTs have been developed for NOx, CO, PM₁₀ and PM_{2.5}. LSTs are not applicable to mobile sources such as cars on a roadway (Final Localized Significance Threshold Methodology, SCAQMD, June 2003). However, according to SCAQMD LST methodology, LSTs would apply to the operational phase of a project, if the project includes stationary sources or attracts mobile sources that may spend long periods queuing and idling at the site such as warehouse/transfer facilities or drive-thru window aisles. The project does not include those uses; thus, no operational LST evaluation was performed.

LSTs have been developed for emissions within areas up to five acres in size, with air pollutant modeling recommended for activity within larger areas. The SCAQMD provides lookup tables for project sites that measure one, two, or five acres. A total of 3.5 acres is assumed to be disturbed daily during the site preparation phase and five acres would be disturbed daily during grading. To provide a conservative evaluation of potential short-term LST impacts, the look up table values for two acres were used to provide a conservative evaluation of potential impacts during site preparation and grading. The project site is located in Source Receptor Area 28 (SRA-28, Hemet/San Jacinto Valley). LSTs for construction related emissions in the SRA 28 at varying distances between the source and receiving property are shown in Table 4.

Table 4
SCAQMD LSTs for Construction

Pollutant	Allowable emissions as a function of receptor distance in meters from a two-acre site (lbs/day)						
	25	50	100	200	500		
Gradual conversion of NO _x to NO ₂	234	275	363	521	941		
со	1,100	1,572	2,781	6,399	25,412		
PM ₁₀	7	20	38	75	186		
PM _{2.5}	4	6	10	23	91		

Source: http://www.aqmd.gov/CEQA/handbook/LST/appC.pdf, October 2009.

As referenced, the nearest sensitive receptors to the project site are located approximately 50 feet (15 meters) east of the eastern property boundary. Monte Vista Middle School is located approximately 50 feet (15 meters) north of the northern property boundary. For sensitive properties located less than 25 meters from an emission source, the 25-meter values are used to evaluate construction emissions relative to LST thresholds as stated in Chapter 3 of the SCAQMD *Final Significance Threshold Methodology* (Revised July 2008). As shown in Table 5, unmitigated on-site PM₁₀ and PM_{2.5} emissions would exceed the LST thresholds shown in Table 4 at 25 meters during site preparation and grading. Thus, without mitigation, emissions would be **potentially significant** per thresholds (b) and (c).

Table 5
Unmitigated Construction LST Emissions

Emissions Sources	NOx	СО	PM ₁₀	PM _{2.5}
Demolition	21.4	19.6	1.0	0.9
Site Preparation	17.3	10.7	14.0	7.4
Grading	34.5	28.0	12.8	5.2
Building Construction – 2023	14.3	16.2	0.6	0.6
Building Construction – 2024	13.4	16.1	0.6	0.6
Building Construction – 2025	12.4	16.0	0.5	0.5
Architectural Coating	1.1	1.8	0.05	0.05
Paving	8.5	14.5	0.4	0.4
LST Thresholds	234	1,100	7	4
Exceeds LST Thresholds?	No	No	Yes	Yes

Source: Birdseye Planning Group, April 2022.

SRA-28: Hemet/San Jacinto Valley, assumes 2 acres disturbed daily during site preparation and grading.

Implementation of Mitigation Measure AQ-1 would reduce PM₁₀ emissions from 14.0 pounds daily during site preparation to 5.9 pounds and PM_{2.5} emissions from 7.4 pounds to 3.3 pounds daily. During grading, daily PM₁₀ emissions would be reduced from 12.8 pounds to 5.8 pounds

and PM_{2.5} emissions from 5.2 pounds to 2.8 pounds. This reduction would avoid potentially significant and adverse fugitive dust impacts during site preparation and grading.

Mitigation Measures AQ-1 PM₁₀ and PM_{2.5} Reduction. Contractor shall be conditioned to apply water to soils being actively disturbed during site preparation and grading activities occurring within 25 meters of the nearest residence and Monte Vista Middle School. Water shall be applied at least three times daily such that the moisture content reaches 15%. Further, during site preparation specifically, equipment use shall be limited to no more than two rubber-tired dozers and two tractors/loaders/backhoes or like equipment, working simultaneously within 25 meters of the nearest residence and Monte Vista Middle School ball field when students are present.

Additionally, contractor shall apply soil stabilizers to unpaved on-site roads, sweep adjacent off-site paved roads and limit on-site vehicle travel to 15 miles per hour to minimize tire entrainment.

Construction-Related Toxic Air Contaminant Impacts

The greatest potential for toxic air contaminant emissions would be related to diesel particulate emissions associated with heavy equipment operations during construction of the proposed project. According to SCAQMD methodology, health effects from carcinogenic air toxics are usually described in terms of "individual cancer risk". The California Office of Environmental Health Hazard Assessment (OEHHA) health risk guidance states that a residential receptor should be evaluated based on a 30-year exposure period. "Individual Cancer Risk" is the likelihood that a person exposed to concentrations of toxic air contaminants over a 70-year lifetime will contract cancer, based on the use of standard risk-assessment methodology. Given the short-term construction schedule, the proposed project would not result in a long-term (i.e., 30 or 70 year) exposure to a substantial source of toxic air contaminant emissions; and thus, would not be exposed to the related individual cancer risk. Therefore, no significant short-term toxic air contaminant impacts would occur during construction of the proposed project.

Construction-Related Odor Impacts

Potential sources of odor during construction activities include equipment exhaust and activities such as paving. The objectionable odors that may be produced during the construction process would occur periodically and end when construction is completed. No significant impact related to odors would occur during construction of the proposed project per threshold (d) referenced above.

Long-Term Regional Impacts

Regional Pollutant Emissions

Table 6 summarizes emissions associated with operation of the proposed project. Operational emissions include emissions from electricity consumption (energy sources), vehicle trips (mobile sources), and area sources including landscape equipment and architectural coating emissions as the structures are repainted over the life of the project. The majority of operational emissions are associated with vehicle trips to and from the project site. Trip volumes based on trip generation defaults for the uses comprising the project were modified based on trip generation rates in the Traffic Impact Assessment prepared for the proposed project by TJW Engineering, Inc., June 2021.

Area source emissions from the project include stationary combustion emissions of natural gas used for space and water heating (shown in a separate row as energy), yard and landscape maintenance, consumer use of solvents and personal care products, and an average building square footage to be repainted each year. As shown in Table 6, daily unmitigated emissions would not exceed the SCAQMD thresholds for ROG, NOx, CO, SOx, PM10 or PM2.5. Therefore, the project's regional air quality impacts (including impacts related to criteria pollutants, sensitive receptors and violations of air quality standards) would be less than significant per threshold b. Further, because the project would meet SCAQMD daily thresholds, the project would not contribute to a cumulatively considerable impact. Impacts relative to threshold c would be less than significant.

Table 6
Estimated Operational Emissions

		Estimated Emissions (lbs/day)				
	ROG	NOx	со	SOx	PM ₁₀	PM _{2.5}
Proposed Project		1				
Area	7.4	0.17	14.9	0.01	0.08	0.08
Energy	0.1	1.3	0.6	0.01	0.1	0.1
Mobile	5.1	6.6	50.2	0.1	12.5	3.4
Maximum lbs/day	12.7	8.0	65.7	0.12	12.7	3.5
SCAQMD Thresholds	55	55	550	150	150	55
Threshold Exceeded?	No	No	No	No	No	No

See Appendix for CalEEMod version. 2020.4.0 computer model output - summer emissions shown.

Objectionable Odors

The project would construct 181 new single-family residences. Uses that can cause or contribute to odors include manufacturing and agricultural processing facilities, asphalt plants,

composting operations, landfills and dairies. Residential uses are not associated with activities that generate odors. Odors would be **less than significant** per threshold (d).

AQMP Consistency

A project may be inconsistent with the AQMP if it would generate population, housing, or employment growth exceeding forecasts used in the development of the AQMP. The 2016 AQMP, the most recent AQMP adopted by the SCAQMD, incorporates local city General Plans and the Southern California Association of Government's (SCAG) Regional Transportation Plan socioeconomic forecast projections of regional population, housing and employment growth. The proposed project involves the construction of 181 single-family residential units and related improvements. The proposed project would be consistent with the existing zoning and existing residential uses surrounding the site. Vehicle trips associated with the project would be consistent with similar uses in the area and as discussed herein, project-related emissions would not exceed thresholds recommended by the SCAQMD. Thus, the project would be consistent with the AQMP and not cause an adverse impact under threshold (a).

Friant Ranch Case Overview and Project Applicability

In response to the California Supreme Court decision on December 24, 2018, Sierra Club v. County of Fresno (Friant Ranch), this section provides a discussion on the potential for identifiable health impacts to result from air pollutants analyzed in environmental documents prepared pursuant to the California Environmental Quality Act (CEQA). The discussion focuses on significant impacts and the feasibility of directly relating any identified significant adverse air quality impact to likely health consequences. The Supreme Court opinion in Friant Ranch requires projects with significant air quality impacts to relate the expected adverse air quality impacts to likely health consequences or explain why it is not feasible at the time of drafting to provide such an analysis, so that the public may make informed decisions regarding the costs and benefits of the project.

The purpose of CEQA is to inform the public as to the potential for a proposed project to result in one or more significant adverse effects on the environment (including health effects). This includes the potential for a project to result in a considerable contribution towards one or more significant cumulative impacts. CEQA does not require detailed analysis of impacts that are found to be less than significant or less than a considerable contribution to a significant cumulative impact. In accordance with CEQA requirements and the CEQA review process, air quality impacts associated with proposed local plans and development projects, requires mitigation of potentially significant air quality impacts by conditioning discretionary permits, and monitors and enforces implementation of such mitigation. The State CEQA Guidelines Section 15064.7 states that the significance criteria established by the applicable air quality management district or air pollution control district, when available, may be relied upon to make determinations of significance.

As stated, the project is located within the SCAB under the jurisdiction of the SCAQMD. The City of San Jacinto defers to threshold guidance established by the SCAQMD and utilizes the SCAQMD's CEQA Air Quality Handbook (approved by the AQMD Governing Board in 1993) and subsequent guidance provided on the SCAQMD website. Note the SCAQMD is currently in the process of developing an Air Quality Analysis Guidance Handbook to replace the 1993 Handbook. In addition, when considering potential air quality impacts under CEQA, consideration is given to the location of sensitive receptors within proximity to land uses that emit TACs. CARB has published and adopted the Air Quality and Land Use Handbook: A Community Health Perspective (2005), which considers impacts to sensitive receptors from facilities that emit TAC emissions. CARB has also published Strategies to Reduce Air Pollution Exposure Near High-Volume Roadways: Technical Advisory, a supplement to the handbook that is intended to provide scientifically based strategies to reduce exposure to traffic emissions near high-volume roadways to protect public health and promote equity and environmental justice. The SCAQMD has also adopted land use planning guidelines in the Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning (2005). Together, the documents introduce land use-related policies and strategies that rely on design and distance parameters to minimize emissions and lower potential health risks.

Federal and state ambient air quality standards are designed to prevent the harmful effects of air pollution. These standards are continually updated based on evolving research, including research which relates air quality impacts with health effects. At the regional level, plans such as the SCAQMD's AQMP and SCAG's RTP/SCS work to ensure that the South Coast Air Basin reaches and maintains attainment with these federal and state standards. At the local level, environmental documents evaluate a plan or project's consistency with applicable policies identified in the SCAQMD's AQMP and SCAG's RTP/SCS as well as regulatory compliance measures which work to limit risk and exposure to TACs. In addition, when evaluating air quality impacts at the project-level, the City of San Jacinto utilizes thresholds guidance and air quality models established by the SCAQMD, which have been developed to implement these regional plans for attainment and protection of public health. For local projects that exceed any identified SCAQMD air quality threshold, CEQA documents typically identify and disclose generalized health effects of certain air pollutants but are currently unable to establish a reliable connection between any local plan or project and a particular health effect. In addition, no expert agency has yet to approve a quantitative method to reliably and meaningfully do so. Many factors contribute to this uncertainty, including the regional scope of air quality monitoring and planning, technological limitations for modeling at a local plan- or project-level, and the intrinsically complex nature between air pollutants and health effects in conjunction with local environmental variables. Therefore, at the time, it is infeasible for CEQA documents to directly link a project's significant air quality impacts with a specific health effect. However, as air quality modeling and research on health effects advances over time, the County will continue to seek the latest guidance from local air quality agencies and experts and refine its approach based on future information as it becomes available.

As stated herein, the proposed project will not exceed the daily emission thresholds established by the SCAQMD; thus, for the purpose of this evaluation, potential project impacts have been adequately evaluated with respect to the Friant Ranch case and related findings.

GREENHOUSE GAS EMISSION DISCUSSION

Gases that absorb and re-emit infrared radiation in the atmosphere are called greenhouse gases (GHGs). GHGs are present in the atmosphere naturally, are released by natural sources, or are formed from secondary reactions taking place in the atmosphere. The gases that are widely seen as the principal contributors to human-induced climate change include carbon dioxide (CO₂), methane (CH₄), nitrous oxides (N₂O), fluorinated gases such as hydrofluorocarbons (HFCs) and perfluorocarbons (PFCs), and sulfur hexafluoride (SF₆). Water vapor is excluded from the list of GHGs because it is short-lived in the atmosphere and its atmospheric concentrations are largely determined by natural processes, such as oceanic evaporation.

GHGs are emitted by both natural processes and human activities. Of these gases, CO₂ and CH₄ are emitted in the greatest quantities from human activities. Emissions of CO₂ are largely by-products of fossil fuel combustion, whereas CH₄ results from off-gassing associated with agricultural practices and landfills. Man-made GHGs, many of which have greater heat-absorption potential than CO₂, include fluorinated gases and sulfur hexafluoride (SF₆) (California Environmental Protection Agency [CalEPA], 2006). Different types of GHGs have varying global warming potentials (GWPs). The GWP of a GHG is the potential of a gas or aerosol to trap heat in the atmosphere over a specified timescale (generally, 100 years). Because GHGs absorb different amounts of heat, a common reference gas (CO₂) is used to relate the amount of heat absorbed to the amount of the gas emissions, referred to as "carbon dioxide equivalent" (CO₂E), and is the amount of a GHG emitted multiplied by its GWP. Carbon dioxide has a GWP of one. By contrast, methane (CH₄) has a GWP of 28, meaning its global warming effect is 28 times greater than carbon dioxide on a molecule per molecule basis (IPCC, 2014).

Total U.S. GHG emissions were 6,558 MMT CO₂E in 2019 (U.S. EPA, October 2021). Total U.S. emissions decreased from 2018 to 2019 by 1.7 percent primarily as a result of less fossil fuel combustion. Total U.S. emissions have increased by 2.0 percent from 1990 to 2019, down from a high of 15.7 percent above 1990 levels in 2007. Emissions decreased from 2018 to 2019 by 1.7 percent (116.0 MMT CO2e). Net emissions (including sinks) were 5,769 MMT CO2e. Overall, net emissions decreased 1.7 percent from 2018 to 2019 and decreased 12.9 percent from 2005 levels. The decline reflects many long-term trends, including population, economic growth, energy market trends, technological changes including energy efficiency and carbon intensity of energy fuel choices. Between 2018 and 2019, the decrease in total greenhouse gas emissions was largely driven by the decrease in CO2 emissions from fossil fuel combustion. The decrease in CO2 emissions from fossil fuel combustion was a result of a 1.3 percent decrease in total energy use and reflects a continued shift from coal to less carbon intensive natural gas and renewables. (U.S. EPA, February 2021).

In 2018, statewide emissions from GHG emitting activities statewide were 425 million metric tons of carbon dioxide equivalent (MMTCO2e), 0.8 MMTCO2e higher than 2017 levels and 6 MMTCO2e below the 2020 GHG Limit of 431 MMTCO2e. California statewide GHG emissions dropped below the 2020 GHG Limit in 2016 and have remained below the 2020 GHG Limit since then. Transportation emissions decreased in 2018 compared to the previous year, which is the first year over year decrease since 2013. Since 2008, California's electricity sector has followed an overall downward trend in emissions. In 2018, solar power generation has continued to grow. Emissions from high-GWP gases increased 2.3 percent in 2018 (2000-2018 average year-over year increase is 6.8 percent), continuing the increasing trend as Ozone Depleting Substances (ODS) are phased out under the 1987 Montreal Protocol.

The largest source of GHG in California is transportation, contributing 39.9 percent of the state's total GHG emissions. The industrial sector is the second largest source, contributing 21 percent of the state's GHG emissions. California emissions result in part to its geographic size and large population compared to other states. However, a factor that reduces California's per capita fuel use and GHG emissions, as compared to other states, is its relatively mild climate. In July 2017, California's state legislature passed Assembly Bill (AB) 398 to reauthorize and extend until 2030 the state's economy-wide greenhouse gas (GHG) reduction program. The bill sets a new GHG target of at least 40% below the 1990 level of emissions by 2030.

California Regulations

In 2005, former Governor Schwarzenegger issued Executive Order (EO) S-3-05, establishing statewide GHG emissions reduction targets. EO S-3-05 states that by 2020, emissions shall be reduced to 1990 levels; and by 2050, emissions shall be reduced to 80 percent of 1990 levels (CaIEPA, 2006). In response to EO S-3-05, CaIEPA created the Climate Action Team (CAT), which in March 2006 published the Climate Action Team Report (the "2006 CAT Report") (CaIEPA, 2006). The 2006 CAT Report recommended various strategies that the state could pursue to reduce GHG emissions. These strategies could be implemented by various state agencies to ensure that the emission reduction targets in EO S-3-05 are met and can be met with existing authority of the state agencies. The strategies include the reduction of passenger and light duty truck emissions, the reduction of idling times for diesel trucks, an overhaul of shipping technology/infrastructure, increased use of alternative fuels, increased recycling, and landfill methane capture.

Assembly Bill 32 and CARB's Scoping Plan

To further the goals established in EO S-3-05, the Legislature passed Assembly Bill (AB) 32, the California Global Warming Solutions Act of 2006. AB 32 requires California to reduce its GHG emissions to 1990 levels by 2020. Under AB 32, CARB is responsible for and is recognized as having the expertise to carry out and develop the programs and requirements necessary to achieve the GHG emissions reduction mandate of AB 32. Under AB 32, CARB must adopt regulations requiring the reporting and verification of statewide GHG emissions from specified sources. This program is used to monitor and enforce compliance with established standards. CARB also is required to adopt rules and regulations to achieve the maximum technologically

feasible and cost-effective GHG emission reductions. AB 32 authorized CARB to adopt market-based compliance mechanisms to meet the specified requirements. Finally, CARB is ultimately responsible for monitoring compliance and enforcing any rule, regulation, order, emission limitation, emission reduction measure, or market-based compliance mechanism adopted.

In 2007, CARB approved a limit on the statewide GHG emissions level for year 2020 consistent with the determined 1990 baseline (427 MMT CO₂E). CARB's adoption of this limit is in accordance with Health and Safety Code, Section 38550.

Further, in 2008, CARB adopted the Scoping Plan in accordance with Health and Safety Code, Section 38561. The Scoping Plan establishes an overall framework for the measures that will be adopted to reduce California's GHG emissions for various emission sources/sectors to 1990 levels by 2020. The Scoping Plan evaluates opportunities for sector-specific reductions, integrates all CARB and Climate Action Team early actions and additional GHG reduction features by both entities, identifies additional measures to be pursued as regulations, and outlines the role of a cap-and-trade program. The key elements of the Scoping Plan include the following (CARB 2008):

- 1. Expanding and strengthening existing energy efficiency programs, as well as building and appliance standards;
- 2. Achieving a statewide renewable energy mix of 33%;
- 3. Developing a California cap-and-trade program that links with other Western Climate Initiative partner programs to create a regional market system and caps sources contributing 85% of California's GHG emissions;
- 4. Establishing targets for transportation-related GHG emissions for regions throughout California, and pursuing policies and incentives to achieve those targets;
- 5. Adopting and implementing measures pursuant to existing state laws and policies, including California's clean car standards, goods movement measures, and the Low Carbon Fuel Standard; and
- 6. Creating targeted fees, including a public goods charge on water use, fees on high GWP gases, and a fee to fund the administrative costs of the State of California's long-term commitment to AB 32 implementation.

In the Scoping Plan (CARB 2008), CARB determined that achieving the 1990 emissions level in 2020 would require a reduction in GHG emissions of approximately 28.5% from the otherwise projected 2020 emissions level (i.e., those emissions that would occur in 2020) absent GHG reducing laws and regulations (referred to as Business-As-Usual (BAU)). To calculate this percentage reduction, CARB assumed that all new electricity generation would be supplied by natural gas plants, no further regulatory action would impact vehicle fuel efficiency, and building energy efficiency codes would be held at 2005 standards.

In the 2011 Final Supplement to the AB 32 Scoping Plan Functional Equivalent Document (CARB 2011a), CARB revised its estimates of the projected 2020 emissions level in light of the economic recession and the availability of updated information about GHG reduction

regulations. Based on the new economic data, CARB determined that achieving the 1990 emissions level by 2020 would require a reduction in GHG emissions of 21.7% (down from 28.5%) from the BAU conditions. When the 2020 emissions level projection was updated to account for newly implemented regulatory measures, including Pavley I (model years 2009–2016) and the Renewables Portfolio Standard (RPS) (12% to 20%), CARB determined that achieving the 1990 emissions level in 2020 would require a reduction in GHG emissions of 16% (down from 28.5%) from the BAU conditions.

In 2014, CARB adopted the First Update to the Climate Change Scoping Plan: Building on the Framework (First Update; CARB 2014). The stated purpose of the First Update is to "highlight California's success to date in reducing its GHG emissions and lay the foundation for establishing a broad framework for continued emission reductions beyond 2020, on the path to 80% below 1990 levels by 2050" (CARB 2014). The First Update found that California is on track to meet the 2020 emissions reduction mandate established by AB 32 and noted that California could reduce emissions further by 2030 to levels needed to stay on track to reduce emissions to 80% below 1990 levels by 2050 if the state realizes the expected benefits of existing policy goals.

In conjunction with the First Update, CARB identified "six key focus areas comprising major components of the state's economy to evaluate and describe the larger transformative actions that will be needed to meet the state's more expansive emission reduction needs by 2050" (CARB 2014). Those six areas are (1) energy, (2) transportation (vehicles/equipment, sustainable communities, housing, fuels, and infrastructure), (3) agriculture, (4) water, (5) waste management, and (6) natural and working lands. The First Update identifies key recommended actions for each sector that will facilitate achievement of EO S-3-05's 2050 reduction goal (CARB 2014).

Based on CARB's research efforts presented in the First Update, it has a "strong sense of the mix of technologies needed to reduce emissions through 2050" (CARB 2014). Those technologies include energy demand reduction through efficiency and activity changes; large-scale electrification of on-road vehicles, buildings, and industrial machinery; decarbonizing electricity and fuel supplies; and the rapid market penetration of efficient and clean energy technologies. As part of the First Update, CARB recalculated the state's 1990 emissions level using more recent GWPs identified by the IPCC. Using the recalculated 1990 emissions level (431 MMT CO₂E) and the revised 2020-emissions-level projection identified in the 2011 Final Supplement, CARB determined that achieving the 1990 emissions level by 2020 would require a reduction in GHG emissions of approximately 15% (instead of 28.5% or 16%) from the BAU conditions (CARB 2014).

In January 2017, CARB released, *The 2017 Climate Change Scoping Plan Update* (Second Update; CARB 2017b), for public review and comment. This update proposes CARB's strategy for achieving the state's 2030 GHG target as established in Senate Bill (SB) 32 (discussed below), including continuing the Cap-and-Trade Program through 2030, and includes a new approach to reduce GHGs from refineries by 20%. The Second Update incorporates approaches to cutting short-lived climate pollutants (SLCPs) under the Short-Lived Climate Pollutant Reduction

Strategy (a planning document that was adopted by CARB in March 2017), acknowledges the need for reducing emissions in agriculture, and highlights the work underway to ensure that California's natural and working lands increasingly sequester carbon. During development of the Second Update, CARB held a number of public workshops in the Natural and Working Lands, Agriculture, Energy, and Transportation sectors to inform development of the 2030 Scoping Plan Update (CARB 2016). The Second Update has not been considered by CARB's Governing Board at the time this analysis was prepared.

Executive Order S-01-07 was enacted on January 18, 2007. The order mandates that a Low Carbon Fuel Standard ("LCFS") for transportation fuels be established for California to reduce the carbon intensity of California's transportation fuels by at least 10 percent by 2020.

Other regulations affecting state and local GHG planning and policy development are summarized as follows:

Assembly Bill 939 and Senate Bill 1374

Assembly Bill 939 (AB 939) requires that each jurisdiction in California to divert at least 50 percent of its waste away from landfills, whether through waste reduction, recycling or other means. Senate Bill 1374 (SB 1374) requires the California Integrated Waste Management Board to adopt a model ordinance by March 1, 2004 suitable for adoption by any local agency to require 50 to 75 percent diversion of construction and demolition of waste materials from landfills.

Senate Bill 1368

Senate Bill 1368 (SB 1368) is the companion Bill of AB 32 and was adopted September, 2006. SB 1368 required the California Public Utilities Commission (CPUC) to establish a performance standard for baseload generation of GHG emissions by investor-owned utilities by February 1, 2007 and for local publicly owned utilities by June 30, 2007. These standards could not exceed the GHG emissions rate from a baseload combined-cycle, natural gas-fired plant. Furthermore, the legislation states that all electricity provided to the State, including imported electricity, must be generated by plants that meet the standards set by California Public Utilities Commission (CPUC) and California Energy Commission (CEC).

Senate Bill 97

Senate Bill 97 (SB 97) was adopted August 2007 and acknowledges that climate change is an environmental issue that requires analysis under CEQA. SB 97 directed the Governor's Office of Planning and Research (OPR), which is part of the State Natural Resources Agency, to prepare, develop, and transmit to CARB guidelines for the feasible mitigation of GHG emissions or the effects of GHG emissions, as required by CEQA, by July 1, 2009. The Natural Resources Agency was required to certify and adopt those guidelines by January 1, 2010. Pursuant to the requirements of SB 97 as stated above, on December 30, 2009 the Natural Resources Agency adopted amendments to the state CEQA guidelines that address GHG emissions. The CEQA Guidelines Amendments changed sections of the CEQA Guidelines and incorporated GHG language throughout the Guidelines. However, no GHG emissions thresholds of significance

were provided and no specific mitigation measures were identified. The GHG emission reduction amendments went into effect on March 18, 2010 and are summarized below:

- Climate action plans and other greenhouse gas reduction plans can be used to determine whether a project has significant impacts, based upon its compliance with the plan.
- Local governments are encouraged to quantify the greenhouse gas emissions of proposed projects, noting that they have the freedom to select the models and methodologies that best meet their needs and circumstances. The section also recommends consideration of several qualitative factors that may be used in the determination of significance, such as the extent to which the given project complies with state, regional, or local GHG reduction plans and policies. OPR does not set or dictate specific thresholds of significance. Consistent with existing CEQA Guidelines, OPR encourages local governments to develop and publish their own thresholds of significance for GHG impacts assessment.
- When creating their own thresholds of significance, local governments may consider the thresholds of significance adopted or recommended by other public agencies, or recommended by experts.
- New amendments include guidelines for determining methods to mitigate the effects of greenhouse gas emissions in Appendix F of the CEQA Guidelines.
- OPR is clear to state that "to qualify as mitigation, specific measures from an existing plan must be identified and incorporated into the project; general compliance with a plan, by itself, is not mitigation."
- OPR's emphasizes the advantages of analyzing GHG impacts on an institutional, programmatic level. OPR therefore approves tiering of environmental analyses and highlights some benefits of such an approach.
- Environmental impact reports (EIRs) must specifically consider a project's energy use and energy efficiency potential.

Senate Bills 1078, 107, and X1-2 and Executive Orders S-14-08 and S-21-09 Senate Bill 1078 (SB 1078) requires retail sellers of electricity, including investor-owned utilities and community choice aggregators, to provide at least 20 percent of their supply from renewable sources by 2017. Senate Bill 107 (SB 107) changed the target date to 2010. Executive Order S-14-08 was signed on November 2008 and expands the State's Renewable Energy Standard to 33 percent renewable energy by 2020. Executive Order S-21-09 directed CARB to adopt regulations by July 31, 2010 to enforce S-14-08. Senate Bill X1-2 codifies the 33 percent renewable energy requirement by 2020.

California Code of Regulations (CCR) Title 24, Part 6

CCR Title 24, Part 6: California's Energy Efficiency Standards for Residential and Nonresidential Buildings (Title 24) were first established in 1978 in response to a legislative mandate to reduce California's energy consumption. The standards are updated periodically to allow consideration and possible incorporation of new energy efficiency technologies and methods. Although it was not originally intended to reduce GHG emissions, electricity production by fossil fuels results in GHG emissions and energy efficient buildings require less electricity. Therefore, increased energy efficiency results in decreased GHG emissions.

The Energy Commission adopted 2008 Standards on April 23, 2008 and Building Standards Commission approved them for publication on September 11, 2008. These updates became effective on August 1, 2009. All buildings for which an application for a building permit is submitted on or after July 1, 2014 must follow the 2013 standards. The 2013 commercial standards are estimated to be 30 percent more efficient than the 2008 standards; 2013 residential standards are at least 25 percent more efficient. Energy efficient buildings require less electricity; therefore, increased energy efficiency reduces fossil fuel consumption and decreases greenhouse gas emissions.

Senate Bill 375

Senate Bill 375 (SB 375) was adopted in September 2008 and aligns regional transportation planning efforts, regional GHG emission reduction targets, and land use and housing allocation. SB 375 requires Metropolitan Planning Organizations (MPO) to adopt a sustainable communities strategy (SCS) or alternate planning strategy (APS) that will prescribe land use allocation in that MPOs Regional Transportation Plan (RTP). CARB, in consultation with each MPO, will provide each affected region with reduction targets for GHGs emitted by passenger cars and light trucks in the region for the years 2020 and 2035. These reduction targets will be updated every eight years but can be updated every four years if advancements in emissions technologies affect the reduction strategies to achieve the targets. CARB is also charged with reviewing each MPO's sustainable community's strategy or alternate planning strategy for consistency with its assigned targets.

The proposed project is located within the Southern California Association of Governments (SCAG) jurisdiction, which has authority to develop the SCS or APS. For the SCAG region, beginning October 2018, the targets set by CARB are at eight percent below 2005 per capita GHG emissions levels by 2020 and 19 percent below 2005 per capita GHG emissions levels by 2035. On September 3, 2020, SCAG adopted the 2020-2045 Regional Transportation Plan / Sustainable Communities Strategy (RTP/SCS), Connect SoCal. which meets the CARB emission reduction requirements. The Housing Element Update is required by the State to be completed within 18 months after RTP/SCS adoption. The Riverside County Housing Element 2021-2029 (6th Cycle) is being prepared and will include housing-related goals, policies, and programs to address the existing and projected future housing needs of the unincorporated County.

City and County land use policies, including General Plans, are not required to be consistent with the RTP and associated SCS or APS. However, CEQA incentivizes, through streamlining

and other provisions, qualified projects that are consistent with an approved SCS or APS and categorized as "transit priority projects."

Senate Bill X7-7

Senate Bill X7-7 (SB X7-7), enacted on November 9, 2009, mandates water conservation targets and efficiency improvements for urban and agricultural water suppliers. SB X7-7 requires the Department of Water Resources (DWR) to develop a task force and technical panel to develop alternative best management practices for the water sector. Additionally, SB X7-7 required the DWR to develop criteria for baseline uses for residential, commercial, and industrial uses for both indoor and landscaped area uses. The DWR was also required to develop targets and regulations that achieve a statewide 20 percent reduction in water usage.

California Green Building Standards

Title 24, Part 6. Title 24 of the California Code of Regulations was established in 1978 and serves to enhance and regulate California's building standards. While not initially promulgated to reduce GHG emissions, Part 6 of Title 24 specifically establishes Building Energy Efficiency Standards that are designed to ensure new and existing buildings in California achieve energy efficiency and preserve outdoor and indoor environmental quality. These energy efficiency standards are reviewed every few years by the Building Standards Commission and the California Energy Commission (CEC) (and revised if necessary) (California Public Resources Code, Section 25402(b)(1)). The regulations receive input from members of industry, as well as the public, with the goal of "reducing of wasteful, uneconomic, inefficient, or unnecessary consumption of energy" (California Public Resources Code, Section 25402). These regulations are carefully scrutinized and analyzed for technological and economic feasibility (California Public Resources Code, Section 25402(d)) and cost effectiveness (California Public Resources Code, Sections 25402(b)(2) and (b)(3)). These standards are updated to consider and incorporate new energy efficient technologies and construction methods. As a result, these standards save energy, increase electricity supply reliability, increase indoor comfort, avoid the need to construct new power plants, and help preserve the environment.

The 2019 Title 24 building energy efficiency standards and became effective on January 1, 2020. In general, single-family homes built to the 2019 standards are anticipated to use approximately 7% less energy for lighting, heating, cooling, ventilation, and water heating than those built to the 2016 standards, and nonresidential buildings built to the 2019 standards will use an estimated 30% less energy than those built to the 2016 standards (CEC 2015a).

Title 24, Part 11. In addition to the CEC's efforts, in 2008, the California Building Standards Commission adopted the nation's first green building standards. The California Green Building Standards Code (Part 11 of Title 24) is commonly referred to as "CALGreen," and establishes minimum mandatory standards and voluntary standards pertaining to the planning and design of sustainable site development, energy efficiency (in excess of the California Energy Code requirements), water conservation, material conservation, and interior air quality. The CALGreen standards took effect in January 2011 and instituted mandatory minimum environmental performance standards for all ground-up, new construction of commercial, low-

rise residential, and state-owned buildings and schools and hospitals. The CALGreen 2019 standards became effective on January 1, 2020. The mandatory standards require the following (24 CCR Part 11):

- Mandatory reduction in indoor water use through compliance with specified flow rates for plumbing fixtures and fittings;
- Mandatory reduction in outdoor water use through compliance with a local water efficient landscaping ordinance or the California Department of Water Resources' Model Water Efficient Landscape Ordinance;
- Diversion of 65% of construction and demolition waste from landfills;
- Mandatory inspections of energy systems to ensure optimal working efficiency;
- Inclusion of electric vehicle charging stations or designated spaces capable of supporting future charging stations; and
- Low-pollutant-emitting exterior and interior finish materials, such as paints, carpets, vinyl flooring, and particle board.

The CALGreen standards also include voluntary efficiency measures that are provided at two separate tiers and implemented at the discretion of local agencies and applicants. CALGreen's Tier 1 standards call for a 15% improvement in energy requirements, stricter water conservation, 65% diversion of construction and demolition waste, 10% recycled content in building materials, 20% permeable paving, 20% cement reduction, and cool/solar-reflective roofs. CALGreen's more rigorous Tier 2 standards call for a 30% improvement in energy requirements, stricter water conservation, 75% diversion of construction and demolition waste, 15% recycled content in building materials, 30% permeable paving, 25% cement reduction, and cool/solar-reflective roofs (24 CCR Part 11).

The California Public Utilities Commission, CEC, and CARB also have a shared, established goal of achieving zero net energy (ZNE) for new construction in California. The key policy timelines include the following: (1) all new residential construction in California will be ZNE by 2020, and (2) all new commercial construction in California will be ZNE by 2030 (CPUC 2013).² As most recently defined by the CEC in its 2015 Integrated Energy Policy Report (CEC 2015b), a ZNE code building is "one where the value of the energy produced by on-site renewable energy resources is equal to the value of the energy consumed annually by the building" using the CEC's Time Dependent Valuation metric.

Title 20

Title 20 of the California Code of Regulations requires manufacturers of appliances to meet state and federal standards for energy and water efficiency. Performance of appliances must be certified through the CEC to demonstrate compliance with standards. New appliances regulated under Title 20 include refrigerators, refrigerator-freezers, and freezers; room air conditioners and room air-conditioning heat pumps; central air conditioners; spot air

² It is expected that achievement of the ZNE goal will occur through revisions to the Title 24 standards.

conditioners; vented gas space heaters; gas pool heaters; plumbing fittings and plumbing fixtures; fluorescent lamp ballasts; lamps; emergency lighting; traffic signal modules; dishwaters; clothes washers and dryers; cooking products; electric motors; low voltage dry-type distribution transformers; power supplies; televisions and consumer audio and video equipment; and battery charger systems. Title 20 presents protocols for testing for each type of appliance covered under the regulations and appliances must meet the standards for energy performance, energy design, water performance, and water design. Title 20 contains three types of standards for appliances: federal and state standards for federally regulated appliances, state standards for federally regulated appliances.

Executive Order B-30-15

EO B-30-15 (April 2015) identified an interim GHG reduction target in support of targets previously identified under S-3-05 and AB 32. EO B-30-15 set an interim target goal of reducing statewide GHG emissions to 40% below 1990 levels by 2030 to keep California on its trajectory toward meeting or exceeding the long-term goal of reducing statewide GHG emissions to 80% below 1990 levels by 2050 as set forth in EO S-3-05. To facilitate achievement of this goal, EO B-30-15 calls for an update to CARB's Scoping Plan to express the 2030 target in terms of MMT CO2E. EO B-30-15 also calls for state agencies to continue to develop and implement GHG emission reduction programs in support of the reduction targets. EO B-30-15 does not require local agencies to take any action to meet the new interim GHG reduction target.

Senate Bill 32 and Assembly Bill 197

SB 32 and AB 197 (enacted in 2016) are companion bills that set new statewide GHG reduction targets, make changes to CARB's membership, increase legislative oversight of CARB's climate change—based activities, and expand dissemination of GHG and other air quality—related emissions data to enhance transparency and accountability. More specifically, SB 32 codified the 2030 emissions reduction goal of EO B-30-15 by requiring CARB to ensure that statewide GHG emissions are reduced to 40% below 1990 levels by 2030. AB 197 established the Joint Legislative Committee on Climate Change Policies, consisting of at least three members of the Senate and three members of the Assembly, in order to provide ongoing oversight over implementation of the state's climate policies. AB 197 added two members of the Legislature to CARB as nonvoting members; requires CARB to make available and update (at least annually via its website) emissions data for GHGs, criteria air pollutants, and toxic air contaminants from reporting facilities; and requires CARB to identify specific information for GHG emissions reduction measures when updating the Scoping Plan.

SB 350— Clean Energy and Pollution Reduction Act of 2015

In October 2015, the legislature approved and the Governor signed SB 350, which reaffirms California's commitment to reducing its GHG emissions and addressing climate change. Key provisions include an increase in the renewables portfolio standard (RPS), higher energy efficiency requirements for buildings, initial strategies towards a regional electricity grid, and improved infrastructure for electric vehicle charging stations. Provisions for a 50 percent reduction in the use of petroleum statewide were removed from the Bill because of opposition

and concern that it would prevent the Bill's passage. Specifically, SB 350 requires the following to reduce statewide GHG emissions:

- Increase the amount of electricity procured from renewable energy sources from 33 percent to 50 percent by 2030, with interim targets of 40 percent by 2024, and 25 percent by 2027.
- Double the energy efficiency in existing buildings by 2030. This target will be achieved through the California Public Utility Commission (CPUC), the California Energy Commission (CEC), and local publicly-owned utilities.
- Reorganize the Independent System Operator (ISO) to develop more regional electrify transmission markets and to improve accessibility in these markets, which will facilitate the growth of renewable energy markets in the western United States (California Leginfo 2015).

SB 100

On September 10, 2018, Governor Brown signed SB 100, which raises California's RPS requirements to 60 percent by 2030, with interim targets, and 100 percent by 2045. The bill also establishes a state policy that eligible renewable energy resources and zero-carbon resources supply 100 percent of all retail sales of electricity to California end-use customers and 100 percent of electricity procured to serve all state agencies by December 31, 2045. Under the bill, the state cannot increase carbon emissions elsewhere in the western grid or allow resource shuffling to achieve the 100 percent carbon-free electricity target.

Executive Order B-55-18

On September 10, 2018, Governor Brown signed Executive Order B-55-2018 which established a new statewide goal to achieve carbon neutrality as soon as possible and no later than 2045. The executive order also states that California will achieve and maintain net negative emissions thereafter.

AB 2127

AB 2127 promotes better planning for EV infrastructure build-out across all vehicle classes. AB 2127 would help the state meet the goal of 5 million zero-emission vehicles (ZEV) on the road by 2030.

Local Regulations and CEQA Requirements

As referenced, pursuant to the requirements of SB 97, the Resources Agency has adopted amendments to the State CEQA Guidelines for the feasible mitigation of GHG emissions or the effects of GHG emissions. The adopted CEQA Guidelines provide general regulatory guidance on the analysis and mitigation of GHG emissions in CEQA documents, but contain no suggested thresholds of significance for GHG emissions. Instead, lead agencies are given the discretion to set quantitative or qualitative thresholds for the assessment and mitigation of GHGs and climate change impacts. The general approach to developing a Threshold of Significance for GHG

emissions is to identify the emissions level for which a project would not be expected to substantially conflict with existing California legislation adopted to reduce statewide GHG emissions needed to move the state towards climate stabilization. If a project would generate GHG emissions above the threshold level, its contribution to cumulative impacts would be considered significant. To date, the Bay Area Air Quality Management District (BAAQMD), the South Coast Air Quality Management District (SCAQMD), and the San Joaquin Air Pollution Control District (SJVAPCD) have adopted quantitative significance thresholds for GHGs. However, in March 2013 the Bay Area's thresholds were overruled by the Alameda County Superior Court (*California Building Industry Association v. Bay Area Air Quality Management District*), on the basis that adoption of the thresholds constitutes a "project" under CEQA, but did not receive the appropriate environmental review. As a result, BAAQMD has elected to not recommend specific GHG thresholds for use in CEQA documents.

The SCAQMD threshold, which was adopted in December 2008, considers emissions of over 10,000 metric tons CO2E /year to be significant. However, the SCAQMD's threshold applies only to stationary sources and is expressly intended to apply only when the SCAQMD is the CEQA lead agency. Although not formally adopted, the SCAQMD has developed a draft quantitative threshold for all land use types of 3,000 metric tons CO2E /year (SCAQMD, September 2010). Note that lead agencies retain the responsibility to determine significance on a case-by-case basis for each specific project.

CLIMATE CHANGE IMPACT ANALYSIS

Thresholds of Significance

Pursuant to the requirements of SB 97, the Resources Agency adopted amendments to the State CEQA Guidelines for the feasible mitigation of GHG emissions or the effects of GHG emissions in March 2010. These guidelines are used in evaluating the cumulative significance of GHG emissions from the proposed project. According to the adopted CEQA Guidelines, impacts related to GHG emissions from the proposed project would be significant if the project would:

- Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment; and/or
- Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases.

The vast majority of individual projects do not generate sufficient GHG emissions to create a project-specific impact through a direct influence to climate change; therefore, the issue of climate change typically involves an analysis of whether a project's contribution towards an impact is cumulatively considerable. "Cumulatively considerable" means that the incremental effects of an individual project are significant when viewed in connection with the effects of past projects, other current projects, and probable future projects (CEQA Guidelines, Section 15355).

For future projects, the significance of GHG emissions may be evaluated based on locally adopted quantitative thresholds, or consistency with a regional GHG reduction plan (such as a Climate Action Plan). The City of San Jacinto does not have a Climate Action Plan; thus, the proposed project is evaluated herein based on 3,000 MT CO₂e significance standard. To determine whether GHG emissions associated with the proposed project are "cumulatively considerable," consistency with applicable GHG emissions reductions strategies recommended in EO S-3-05 and SB 32.

Methodology

GHG emissions associated with construction and operation of the proposed project have been estimated using California Emissions Estimator Model (CalEEMod) version 2020.4.0.

Construction Emissions

Construction of the proposed project would generate temporary GHG emissions primarily associated with the operation of construction equipment and truck trips. Site preparation and grading typically generate the greatest emission quantities because the use of heavy equipment is greatest during this phase of construction. Emissions associated with the construction period were estimated based on the projected maximum amount of equipment that would be used on-site at one time. Air districts such as the SCAQMD have recommended amortizing construction-related emissions over a 30-year period to calculate annual emissions. Complete CalEEMod results and assumptions can be viewed in the Appendix.

Operational Emissions

Default values used in CalEEMod version 2020.4.0 are based on the California Energy Commission (CEC) sponsored California Commercial End Use Survey (CEUS) and Residential Appliance Saturation Survey (RASS) studies. CalEEMod provides operational emissions of CO₂, N₂O and CH₄. This methodology has been subjected to peer review by numerous public and private stakeholders, and in particular by the CEC; and therefore, is considered reasonable and reliable for use in GHG impact analysis pursuant to CEQA. It is also recommended by CAPCOA (January 2008).

Emissions associated with area sources (i.e., consumer products, landscape maintenance, and architectural coating) were calculated in CalEEMod based on standard emission rates from CARB, USEPA, and district supplied emission factor values (CalEEMod User Guide, 2021). Emissions from waste generation were also calculated in CalEEMod and are based on the IPCC's methods for quantifying GHG emissions from solid waste using the degradable organic content of waste (CalEEMod User Guide, 2021). Waste disposal rates by land use and overall composition of municipal solid waste in California was primarily based on data provided by the California Department of Resources Recycling and Recovery (CalRecycle).

Emissions from water and wastewater usage calculated in CalEEMod were based on the default electricity intensity from the CEC's 2006 Refining Estimates of Water-Related Energy Use in California using the average values for Northern and Southern California. Emissions from mobile sources were quantified based on trip generation estimates included in CalEEMod version 2020.4.0 for single-family residential projects.

Estimate of GHG Emissions

Construction Emissions

Construction activity is assumed to occur over a period of approximately 24 months beginning in early 2023 and concluding in early 2025. Based on CalEEMod results, construction activity for the project would generate an estimated 1,645 metric tons of carbon dioxide equivalent (CO₂E), as shown in Table 7. Amortized over a 30-year period (the assumed life of the project), construction of the proposed project would generate 55 metric tons of CO₂E per year.

Table 7
Estimated Construction Related Greenhouse Gas
Emissions

Year	Annual Emissions (metric tons CO ₂ E)
2023	950
2024	418
2025	277
Total	1,645
Amortized over 30 years	55 metric tons per year

See Appendix for CalEEMod software program output

Operational Indirect and Stationary Direct Emissions

Long-term emissions relate to energy use, solid waste, water use, and transportation. Each source is discussed below and includes the anticipated emissions that would result from the proposed project.

Energy Use. Operation of onsite development would consume both electricity and natural gas (see Appendix for CalEEMod results). The generation of electricity through combustion of fossil fuels typically yields CO₂, and to a smaller extent, N₂O and CH₄. Natural gas emissions can be calculated using default values from the CEC sponsored CEUS and RASS studies which are built into CalEEMod. As shown in Table 8, the overall net increase in energy use at the project site would result in approximately 532 metric tons of CO₂E per year.

Water Use Emissions. The CalEEMod results indicate that the project would use approximately 15.3 million gallons of water per year. Based on the amount of electricity generated to supply and convey this amount of water, as shown in Table 9, the project would generate approximately 47 metric tons of CO₂E per year. Emissions related to water consumption would be reduced by 20% per Senate Bill X7-7, by implementing measures that include the installation of low flow plumbing fixtures (i.e., faucets, toilets, show heads) and water efficient irrigation systems.

Solid Waste Emissions. Implementation of a municipal recycling program that would achieve a 75% diversion rate statewide is required for residential uses per the California Integrated Waste Management Act of 1989 (AB 939). The CalEEMod results indicate that the project would result in an approximately 27 metric tons of CO₂E per year associated with solid waste disposed within landfills.

Table 8
Estimated Annual Energy-Related Greenhouse Gas Emissions

Emission Source	Annual Emissions (CO₂E)
Proposed Project	
Electricity	257 metric tons
Natural Gas	275 metric tons
Total	532 metric tons

See Appendix for CalEEMod software program output.

Table 9
Estimated Annual
Solid Waste and Water Use Greenhouse Gas Emissions

Emission Source	Annual Emissions (CO₂E)
Water	47 metric tons
Solid Waste	27 metric tons
Total Water and Solid Waste	74 metric tons

See Appendix for CalEEMod software program output.

<u>Transportation Emissions</u>. Mobile source GHG emissions were estimated using the trip generation rates provided in the Traffic Impact Assessment (TJW Engineering, Inc., March 2022). Trip generation rates for the project were developed utilizing the *Institute of Transportation Engineers (ITE) Trip Generation Manual, 10th Edition.* Table 11 shows the estimated mobile emissions of GHGs for the project based on the estimated annual VMT of 5,768,880. As shown in Table 10, the project would generate approximately 1,864 metric tons of CO₂E associated with new vehicle trips.

Combined Construction, Stationary and Mobile Source Emissions

Table 11 combines the net new construction, operational, and mobile GHG emissions associated with the proposed project. As discussed above, temporary emissions associated with construction activity (approximately 1,645 metric tons CO₂E) are amortized over 30 years (the anticipated life of the project).

For the proposed project, the combined annual emissions would total approximately 2,525 metric tons per year in CO₂E. The majority (74%) of the project's GHG emissions are associated with motor vehicular travel. The proposed project is evaluated based on the threshold of 3,000 MT CO₂E annually. Project-related annual GHG emissions would not exceed the threshold of 3,000 metric tons per year; therefore, impacts from GHG emissions would be less than significant per threshold a.

Table 10
Estimated Annual Mobile Emissions of Greenhouse Gases

Emission Source	Annual Emissions (CO₂E)
Proposed Project	
Mobile Emissions (CO ₂ & CH ₄)	1,864 metric tons
Total	1,864 metric tons

See Appendix for CalEEMod software program output.

Table 11
Combined Annual Greenhouse Gas Emissions

Emission Source	Annual Emissions (CO ₂ E)
Construction	55 metric tons
Operational Energy Solid Waste Water	532 metric tons 27 metric tons 47 metric tons
Mobile	1,864 metric tons
Total	2,525 metric tons

See Appendix for CalEEMod software program output (demolition and new construction).

GHG Cumulative Significance. As referenced, specific goals and actions included in Title 24 that pertain to the proposed project include those addressing energy and water use reduction, promotion of green building measures, waste reduction, and reduction in vehicle miles traveled. The proposed project would also be required to implement all mandatory green building measures for new residential development under the CALGreen Code. This would

require the project be designed to reduce water consumption, increase building system efficiencies, divert construction waste from landfills, and install low pollutant emitting finish materials. Implementation of these building and appliance standards would result in water, energy, and construction waste reductions for the proposed project. This would result in a less than significant impact under threshold b.

Consistency with EO S-3-05 and SB 32

EO S-3-05. This EO establishes the following goals: GHG emissions should be reduced to 2000 levels by 2010, to 1990 levels by 2020, and to 80% below 1990 levels by 2050.

SB 32. This bill establishes a statewide GHG emissions reduction target whereby CARB, in adopting rules and regulations to achieve the maximum technologically feasible and cost-effective GHG emissions reductions, shall ensure that statewide GHG emissions are reduced to at least 40% below 1990 levels by December 31, 2030. Some of these policies that apply to all projects include implementation of updated building codes for energy efficiency, the low carbon fuel standard, Pavley (California Assembly Bill) vehicle emissions standards and the Renewable Portfolio Standards for utility companies.

As stated, the proposed project would not exceed the 3,000 MT CO2e annual screening threshold defined by SCAQMD; and thus, is not considered a cumulatively considerable source of GHG emissions. However, the project would be required to implement efficiency strategies intended to reduce overall energy and water demand and related GHG emissions associated with generating and conveying energy to the site as well the energy required to treat and convey potable water to the project site. Further, on-site recycling would be required to achieve the landfill diversion target of 75% as established in SB 1374.

CARB has indicated that statewide, California is on track to achieving both the 2030 and 2050 goals. CARB stated in the First Update to the Climate Change Scoping Plan that "California is on track to meet the near-term 2020 GHG emissions limit and is well positioned to maintain and continue reductions beyond 2020 as required by AB 32" (CARB 2014, p. ES2). This is confirmed in the 2017 Scoping Plan, which states that the Scoping Plan builds upon the successful framework established by the Initial Scoping Plan and First Update, while identifying new, technologically feasible and cost-effective strategies to ensure that California meets its GHG reduction targets.

As stated, the project would not generate enough GHG emissions to cumulatively contribute to global climate change; and thus, would not adversely impact the attainment of statewide reductions in GHG emissions referenced above. Standard measures implemented by the project to reduce overall GHG emissions would contribute to GHG reduction goals mandated by AB 32 and further address in EO S-3-05 and SB 32.

REFERENCES

- Association of Environmental Professionals. California Environmental Quality Act (CEQA) Statute and Guidelines. 2021
- California Air Pollution Control Officers Association. CEQA and Climate Change: Addressing Climate Change through California Environmental Quality Act (CEQA). January 2008.
- California Air Resources Board. *Ambient Air Quality Standards*. Updated February, 2016. http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/naaqs-caaqs-feb2016.pdf
- California Air Resources Board, Maps of State and Federal Area Designations, https://ww2.arb.ca.gov/resources/documents/maps-state-and-federal-area-designations?corr
- California Air Resources Board. 2018, 2019, & 2020 Annual Air Quality Data Summaries. http://www.arb.ca.gov/adam/topfour/topfour1.php. Accessed January 2021.
- California Air Resources Board, *California Greenhouse Gas Emissions for 2000 to 2018*, 2020
 Edition.
 https://ww3.arb.ca.gov/cc/inventory/pubs/reports/2000_2018/ghg_inventory_trends_00_18.pdf
- California Air Resources Board. June 2017. *Greenhouse Gas Inventory Data Inventory Program*. Available: https://www.arb.ca.gov/cc/inventory/inventory.htm
- California Air Resources Board. April 2012. *Greenhouse Gas Inventory Data* 2020 Emissions Forecast. Available: http://www.arb.ca.gov/cc/inventory/data/forecast.htm
- California Air Resources Board. May 2014. 2020 Business As Usual Emission Projection, 2014
 Edition. Available:
 http://www.arb.ca.gov/cc/inventory/data/tables/2020_bau_forecast_by_scoping_category_2014-05-22.pdf
- California Air Resources Board. June 2015. *Greenhouse Gas Emissions Inventory* 2015 Edition Available: http://www.arb.ca.gov/cc/inventory/data/data.htm
- California Climate Action Registry General Reporting Protocol, *Reporting Entity-Wide Greenhouse Gas Emissions*, Version 3.1, January 2009.
- California Environmental Protection Agency, March 2006. Climate Action Team Report to Governor Schwarzenegger and the Legislature.

 http://www.climatechange.ca.gov/climate_action_team/reports/2006-04-03 FINAL CAT REPORT EXECSUMMARY.PDF

- Intergovernmental Panel on Climate Change [IPCC]. Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories. [Kroeze, C.; Mosier, A.; Nevison, C.; Oenema, O.; Seitzinger, S.; Cleemput, O. van; Conrad, R.; Mitra, A.P.; H.U., Neue; Sass, R.]. Paris: OECD, 1997.
- Intergovernmental Panel on Climate Change [IPCC]. Climate Change 2014 Synthesis Report, 2014.
- Office of the California Attorney General. The California Environmental Quality Act, Addressing Global Warming Impacts at the Local Agency Level. Updated May 21, 2008. http://ag.ca.gov/globalwarming/pdf/GW_mitigation_measures.pdf
- South Coast Air Quality Management District (SCAQMD). *California Emissions Estimator Model User Guide Version 2016.3.2.* Prepared by BREEZE Software, A Division of Trinity Consultants. September 2016.
- SCAQMD. CEQA Air Quality Handbook. Tables A9-11-A and A9-12-A. November 1993.
- SCAQMD. Draft Guidance Document Interim CEQA Greenhouse Gas (GHG) Significance Threshold, October, 2008
- SCAQMD. Fact Sheet for Applying CalEEMod to Localized Significance Thresholds. 2011
- SCAQMD. Final Localized Significant (LST) Thresholds Methodology, (revised July 2008).
- TJW Engineering, Traffic Impact Study, 291 North Lyon Avenue, San Jacinto, CA, March 2022.
- United States Environmental Protection Agency (U.S. EPA). *Inventory of U.S. Greenhouse Gas Emissions and Sinks:* 1990-2010. U. S. EPA #430-R-11-005. April 2012. http://www.epa.gov/climatechange/emissions/usinventoryreport.html
- United States Environmental Protection Agency (U.S. EPA). *Inventory of U.S. Greenhouse Gas Emissions and Sinks:* 1990-2015. U. S. EPA #430-P-17-001. April 2017. https://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2015
- United States Environmental Protection Agency (U.S. EPA). *Inventory of U.S. Greenhouse Gas Emissions and Sinks:* 1990-2019, U.S. EPA #430-R-21-001. February 2021

	Appendix A CalEEMod Air Quality and Greenhouse Gas Emissions Model Results –
_	Appendix A CalEEMod Air Quality and Greenhouse Gas Emissions Model Results – Summer/Annual
_	CalEEMod Air Quality and Greenhouse Gas Emissions Model Results –
	CalEEMod Air Quality and Greenhouse Gas Emissions Model Results –
	CalEEMod Air Quality and Greenhouse Gas Emissions Model Results –

CalEEMod Version: CalEEMod.2020.4.0 Page 1 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

TM 38202 San Jacinto

Riverside-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Single Family Housing	181.00	Dwelling Unit	58.77	325,800.00	518

Precipitation Freq (Days)

28

1.2 Other Project Characteristics

Urban

Climate Zone 10 Operational Year 2025
Utility Company Southern California Edison

2.4

 CO2 Intensity
 390.98
 CH4 Intensity
 0.033
 N20 Intensity
 0.004

 (Ib/MWhr)
 (Ib/MWhr)
 (Ib/MWhr)
 (Ib/MWhr)

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Urbanization

Construction Phase - Construction phaseing modified to accommodate fill import. Architectural coating phase modified to overlap building construction.

Off-road Equipment - Reduced equipment use to two RTDs and two tractor/loader/backhoes operating simultaneously.

Trips and VMT - A total of 136,562 cy of soils would be imported during site preparation and grading.

Wind Speed (m/s)

Grading - Site preparation and grading acreage modified based on SCAQMD LST protocol.

Site prearation and grading includes import of 136,562 cy fill.

Woodstoves - Assumes 5% of units would have natural gas fireplaces.

Construction Off-road Equipment Mitigation - Mitigation assumes paved roads would be cleaned daily to reduce PM emissions by 25%

Area Mitigation -

Water Mitigation -

Waste Mitigation -

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Table Name	Column Name	Default Value	New Value
tblAreaMitigation	UseLowVOCPaintParkingCheck	False	True
tblConstDustMitigation	CleanPavedRoadPercentReduction	0	25
tblConstDustMitigation	WaterUnpavedRoadMoistureContent	0	15
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	75.00	65.00
tblConstructionPhase	NumDays	1,110.00	500.00
tblConstructionPhase	NumDays	70.00	30.00
tblConstructionPhase	NumDays	110.00	70.00
tblConstructionPhase	NumDays	75.00	35.00
tblConstructionPhase	NumDays	40.00	66.00
tblGrading	AcresOfGrading	210.00	350.00
tblGrading	AcresOfGrading	66.00	70.00
tblGrading	MaterialImported	0.00	68,281.00
tblGrading	MaterialImported	0.00	68,281.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	2.00

2.0 Emissions Summary

CalEEMod Version: CalEEMod.2020.4.0 Page 3 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	lb/day										
2023	3.6616	46.7370	32.1312	0.1311	15.6750	1.5725	16.6249	7.4119	1.4521	8.2915	0.0000	13,364.94 17	13,364.94 17	2.0503	1.1981	13,753.56 24
2024	1.7138	14.1952	18.6425	0.0364	0.8482	0.6219	1.4702	0.2277	0.5850	0.8128	0.0000	3,527.657 9	3,527.657 9	0.6216	0.0653	3,562.658 8
2025	34.1331	22.9800	35.6796	0.0645	1.1612	1.0074	2.1686	0.3107	0.9420	1.2527	0.0000	6,249.394 9	6,249.394 9	1.3513	0.0691	6,303.755 2
Maximum	34.1331	46.7370	35.6796	0.1311	15.6750	1.5725	16.6249	7.4119	1.4521	8.2915	0.0000	13,364.94 17	13,364.94 17	2.0503	1.1981	13,753.56 24

Mitigated Construction

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e			
Year		lb/day											lb/day						
2023	3.6616	46.7370	32.1312	0.1311	7.1103	1.5725	8.0602	3.1763	1.4521	4.0559	0.0000	13,364.94 17	13,364.94 17	2.0503	1.1981	13,753.56 24			
2024	1.7138	14.1952	18.6425	0.0364	0.6687	0.6219	1.2906	0.1836	0.5850	0.7687	0.0000	3,527.657 9	3,527.657 9	0.6216	0.0653	3,562.658 8			
2025	34.1331	22.9800	35.6796	0.0645	0.9136	1.0074	1.9210	0.2499	0.9420	1.1919	0.0000	6,249.394 9	6,249.394 9	1.3513	0.0691	6,303.755 2			
Maximum	34.1331	46.7370	35.6796	0.1311	7.1103	1.5725	8.0602	3.1763	1.4521	4.0559	0.0000	13,364.94 17	13,364.94 17	2.0503	1.1981	13,753.56 24			

CalEEMod Version: CalEEMod.2020.4.0 Page 4 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	50.85	0.00	44.37	54.59	0.00	41.91	0.00	0.00	0.00	0.00	0.00	0.00

CalEEMod Version: CalEEMod.2020.4.0 Page 5 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	lb/day										
Area	54.8858	3.9273	106.9665	0.2356		13.9091	13.9091		13.9091	13.9091	1,695.412 2	3,284.888 0	4,980.300 2	5.0818	0.1151	5,141.636 7
Energy	0.1513	1.2927	0.5501	8.2500e- 003		0.1045	0.1045		0.1045	0.1045		1,650.261 5	1,650.261 5	0.0316	0.0303	1,660.068 1
Mobile	5.1484	6.5957	50.2541	0.1183	12.4652	0.0896	12.5548	3.3253	0.0840	3.4093		12,048.14 39	12,048.14 39	0.5687	0.5475	12,225.51 72
Total	60.1854	11.8157	157.7707	0.3621	12.4652	14.1032	26.5684	3.3253	14.0976	17.4228	1,695.412 2	16,983.29 33	18,678.70 55	5.6821	0.6928	19,027.22 20

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e		
Category		lb/day										lb/day						
Area	7.4573	0.1718	14.9186	7.9000e- 004		0.0828	0.0828		0.0828	0.0828	0.0000	26.8880	26.8880	0.0258	0.0000	27.5317		
Energy	0.1513	1.2927	0.5501	8.2500e- 003		0.1045	0.1045		0.1045	0.1045		1,650.261 5	1,650.261 5	0.0316	0.0303	1,660.068 1		
Mobile	5.1484	6.5957	50.2541	0.1183	12.4652	0.0896	12.5548	3.3253	0.0840	3.4093		12,048.14 39	12,048.14 39	0.5687	0.5475	12,225.51 72		
Total	12.7569	8.0603	65.7228	0.1273	12.4652	0.2769	12.7421	3.3253	0.2713	3.5966	0.0000	13,725.29 33	13,725.29 33	0.6261	0.5778	13,913.11 70		

TM 38202 San Jacinto - Riverside-South Coast County, Summer

Date: 7/19/2022 11:08 AM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	78.80	31.78	58.34	64.85	0.00	98.04	52.04	0.00	98.08	79.36	100.00	19.18	26.52	88.98	16.61	26.88

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/2/2023	2/10/2023	5	30	
2	Site Preparation	Site Preparation	2/11/2023	5/15/2023	5	66	
3	Grading	Grading	5/16/2023	8/21/2023	5	70	
4	Building Construction	Building Construction	8/22/2023	7/21/2025	5	500	
5	Architectural Coating	Architectural Coating	4/21/2025	7/19/2025	5	65	
6	Paving	Paving	7/19/2025	9/5/2025	5	35	

Acres of Grading (Site Preparation Phase): 70

Acres of Grading (Grading Phase): 350

Acres of Paving: 0

Residential Indoor: 659,745; Residential Outdoor: 219,915; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	2	8.00	97	0.37

CalEEMod Version: CalEEMod.2020.4.0 Page 7 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	4	10.00	0.00	8,535.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	8,535.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	65.00	19.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Soil Stabilizer

Water Exposed Area

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Water Unpaved Roads

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

3.2 **Demolition - 2023**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Off-Road	2.2691	21.4844	19.6434	0.0388		0.9975	0.9975	1 1 1	0.9280	0.9280		3,746.984 0	3,746.984 0	1.0494		3,773.218 3
Total	2.2691	21.4844	19.6434	0.0388		0.9975	0.9975		0.9280	0.9280		3,746.984 0	3,746.984 0	1.0494		3,773.218 3

CalEEMod Version: CalEEMod.2020.4.0 Page 9 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.2 Demolition - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0548	0.0338	0.5488	1.4700e- 003	0.1677	7.8000e- 004	0.1685	0.0445	7.2000e- 004	0.0452		149.0611	149.0611	3.4500e- 003	3.5200e- 003	150.1959
Total	0.0548	0.0338	0.5488	1.4700e- 003	0.1677	7.8000e- 004	0.1685	0.0445	7.2000e- 004	0.0452		149.0611	149.0611	3.4500e- 003	3.5200e- 003	150.1959

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	2.2691	21.4844	19.6434	0.0388		0.9975	0.9975		0.9280	0.9280	0.0000	3,746.984 0	3,746.984 0	1.0494		3,773.218 3
Total	2.2691	21.4844	19.6434	0.0388		0.9975	0.9975		0.9280	0.9280	0.0000	3,746.984 0	3,746.984 0	1.0494		3,773.218 3

CalEEMod Version: CalEEMod.2020.4.0 Page 10 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.2 **Demolition - 2023**

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0548	0.0338	0.5488	1.4700e- 003	0.1312	7.8000e- 004	0.1320	0.0355	7.2000e- 004	0.0362		149.0611	149.0611	3.4500e- 003	3.5200e- 003	150.1959
Total	0.0548	0.0338	0.5488	1.4700e- 003	0.1312	7.8000e- 004	0.1320	0.0355	7.2000e- 004	0.0362		149.0611	149.0611	3.4500e- 003	3.5200e- 003	150.1959

3.3 Site Preparation - 2023

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Fugitive Dust					13.3000	0.0000	13.3000	6.7617	0.0000	6.7617			0.0000			0.0000
Off-Road	1.6721	17.3257	10.6753	0.0233		0.7935	0.7935		0.7300	0.7300		2,257.154 4	2,257.154 4	0.7300		2,275.404 6
Total	1.6721	17.3257	10.6753	0.0233	13.3000	0.7935	14.0934	6.7617	0.7300	7.4917		2,257.154 4	2,257.154 4	0.7300		2,275.404 6

CalEEMod Version: CalEEMod.2020.4.0 Page 11 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.3 Site Preparation - 2023

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Hauling	0.2830	12.9142	3.5512	0.0711	2.2633	0.1559	2.4192	0.6205	0.1491	0.7696		7,588.335 1	7,588.335 1	0.1076	1.1957	7,947.352 1
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0365	0.0226	0.3659	9.8000e- 004	0.1118	5.2000e- 004	0.1123	0.0296	4.8000e- 004	0.0301		99.3740	99.3740	2.3000e- 003	2.3500e- 003	100.1306
Total	0.3195	12.9368	3.9171	0.0720	2.3751	0.1564	2.5315	0.6501	0.1496	0.7997		7,687.709 1	7,687.709 1	0.1099	1.1981	8,047.482 7

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					5.1870	0.0000	5.1870	2.6371	0.0000	2.6371			0.0000			0.0000
Off-Road	1.6721	17.3257	10.6753	0.0233		0.7935	0.7935		0.7300	0.7300	0.0000	2,257.154 4	2,257.154 4	0.7300		2,275.404 6
Total	1.6721	17.3257	10.6753	0.0233	5.1870	0.7935	5.9805	2.6371	0.7300	3.3671	0.0000	2,257.154 4	2,257.154 4	0.7300		2,275.404 6

CalEEMod Version: CalEEMod.2020.4.0 Page 12 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.3 Site Preparation - 2023

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.2830	12.9142	3.5512	0.0711	1.8359	0.1559	1.9917	0.5156	0.1491	0.6647		7,588.335 1	7,588.335 1	0.1076	1.1957	7,947.352 1
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0365	0.0226	0.3659	9.8000e- 004	0.0875	5.2000e- 004	0.0880	0.0237	4.8000e- 004	0.0242		99.3740	99.3740	2.3000e- 003	2.3500e- 003	100.1306
Total	0.3195	12.9368	3.9171	0.0720	1.9234	0.1564	2.0798	0.5393	0.1496	0.6889		7,687.709 1	7,687.709 1	0.1099	1.1981	8,047.482 7

3.4 Grading - 2023

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Fugitive Dust					11.4481	0.0000	11.4481	3.9015	0.0000	3.9015			0.0000			0.0000
Off-Road	3.3217	34.5156	28.0512	0.0621		1.4245	1.4245		1.3105	1.3105		6,011.477 7	6,011.477 7	1.9442		6,060.083 6
Total	3.3217	34.5156	28.0512	0.0621	11.4481	1.4245	12.8726	3.9015	1.3105	5.2120		6,011.477 7	6,011.477 7	1.9442		6,060.083 6

CalEEMod Version: CalEEMod.2020.4.0 Page 13 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.4 Grading - 2023
<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	day		
Hauling	0.2668	12.1763	3.3483	0.0670	2.1340	0.1470	2.2809	0.5850	0.1406	0.7256		7,154.716 0	7,154.716 0	0.1015	1.1274	7,493.217 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0730	0.0451	0.7317	1.9700e- 003	0.2236	1.0500e- 003	0.2246	0.0593	9.6000e- 004	0.0603		198.7481	198.7481	4.5900e- 003	4.6900e- 003	200.2612
Total	0.3399	12.2214	4.0800	0.0690	2.3575	0.1480	2.5055	0.6443	0.1416	0.7859		7,353.464 0	7,353.464 0	0.1061	1.1321	7,693.478 8

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Fugitive Dust					4.4648	0.0000	4.4648	1.5216	0.0000	1.5216			0.0000			0.0000
Off-Road	3.3217	34.5156	28.0512	0.0621	 	1.4245	1.4245	 	1.3105	1.3105	0.0000	6,011.477 7	6,011.477 7	1.9442	 	6,060.083 6
Total	3.3217	34.5156	28.0512	0.0621	4.4648	1.4245	5.8893	1.5216	1.3105	2.8321	0.0000	6,011.477 7	6,011.477 7	1.9442		6,060.083 6

CalEEMod Version: CalEEMod.2020.4.0 Page 14 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.4 Grading - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Hauling	0.2668	12.1763	3.3483	0.0670	1.7310	0.1470	1.8779	0.4861	0.1406	0.6267		7,154.716 0	7,154.716 0	0.1015	1.1274	7,493.217 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0730	0.0451	0.7317	1.9700e- 003	0.1750	1.0500e- 003	0.1760	0.0474	9.6000e- 004	0.0483		198.7481	198.7481	4.5900e- 003	4.6900e- 003	200.2612
Total	0.3399	12.2214	4.0800	0.0690	1.9059	0.1480	2.0539	0.5335	0.1416	0.6750		7,353.464 0	7,353.464 0	0.1061	1.1321	7,693.478 8

3.5 Building Construction - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

CalEEMod Version: CalEEMod.2020.4.0 Page 15 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2023 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0214	0.6207	0.2556	3.3200e- 003	0.1217	5.4100e- 003	0.1271	0.0350	5.1700e- 003	0.0402		352.0149	352.0149	3.5900e- 003	0.0520	367.6058
Worker	0.2373	0.1466	2.3782	6.3900e- 003	0.7266	3.4000e- 003	0.7299	0.1927	3.1300e- 003	0.1958		645.9312	645.9312	0.0149	0.0153	650.8487
Total	0.2588	0.7674	2.6338	9.7100e- 003	0.8483	8.8100e- 003	0.8570	0.2277	8.3000e- 003	0.2360		997.9461	997.9461	0.0185	0.0673	1,018.454 5

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

CalEEMod Version: CalEEMod.2020.4.0 Page 16 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0214	0.6207	0.2556	3.3200e- 003	0.1000	5.4100e- 003	0.1054	0.0297	5.1700e- 003	0.0349		352.0149	352.0149	3.5900e- 003	0.0520	367.6058
Worker	0.2373	0.1466	2.3782	6.3900e- 003	0.5686	3.4000e- 003	0.5720	0.1539	3.1300e- 003	0.1571		645.9312	645.9312	0.0149	0.0153	650.8487
Total	0.2588	0.7674	2.6338	9.7100e- 003	0.6687	8.8100e- 003	0.6775	0.1836	8.3000e- 003	0.1919		997.9461	997.9461	0.0185	0.0673	1,018.454 5

3.5 Building Construction - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.4716	13.4438	16.1668	0.0270		0.6133	0.6133		0.5769	0.5769		2,555.698 9	2,555.698 9	0.6044		2,570.807 7
Total	1.4716	13.4438	16.1668	0.0270		0.6133	0.6133		0.5769	0.5769		2,555.698 9	2,555.698 9	0.6044		2,570.807 7

CalEEMod Version: CalEEMod.2020.4.0 Page 17 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2024 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0211	0.6208	0.2527	3.2700e- 003	0.1217	5.3700e- 003	0.1271	0.0350	5.1400e- 003	0.0402		346.5896	346.5896	3.7200e- 003	0.0511	361.9217
Worker	0.2212	0.1306	2.2231	6.1900e- 003	0.7266	3.2400e- 003	0.7298	0.1927	2.9800e- 003	0.1957		625.3694	625.3694	0.0135	0.0142	629.9294
Total	0.2423	0.7514	2.4757	9.4600e- 003	0.8482	8.6100e- 003	0.8569	0.2277	8.1200e- 003	0.2359		971.9590	971.9590	0.0172	0.0653	991.8511

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.4716	13.4438	16.1668	0.0270		0.6133	0.6133		0.5769	0.5769	0.0000	2,555.698 9	2,555.698 9	0.6044		2,570.807 7
Total	1.4716	13.4438	16.1668	0.0270		0.6133	0.6133		0.5769	0.5769	0.0000	2,555.698 9	2,555.698 9	0.6044		2,570.807 7

CalEEMod Version: CalEEMod.2020.4.0 Page 18 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0211	0.6208	0.2527	3.2700e- 003	0.1000	5.3700e- 003	0.1054	0.0297	5.1400e- 003	0.0349		346.5896	346.5896	3.7200e- 003	0.0511	361.9217
Worker	0.2212	0.1306	2.2231	6.1900e- 003	0.5686	3.2400e- 003	0.5719	0.1539	2.9800e- 003	0.1569		625.3694	625.3694	0.0135	0.0142	629.9294
Total	0.2423	0.7514	2.4757	9.4600e- 003	0.6687	8.6100e- 003	0.6773	0.1836	8.1200e- 003	0.1918		971.9590	971.9590	0.0172	0.0653	991.8511

3.5 Building Construction - 2025

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.474 4	2,556.474 4	0.6010		2,571.498 1
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963		2,556.474 4	2,556.474 4	0.6010		2,571.498 1

CalEEMod Version: CalEEMod.2020.4.0 Page 19 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2025 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0208	0.6157	0.2498	3.2100e- 003	0.1217	5.3700e- 003	0.1271	0.0350	5.1400e- 003	0.0402		340.4802	340.4802	3.8500e- 003	0.0501	355.5172
Worker	0.2066	0.1171	2.0674	5.9800e- 003	0.7266	3.0800e- 003	0.7296	0.1927	2.8300e- 003	0.1955		604.0437	604.0437	0.0122	0.0132	608.2883
Total	0.2274	0.7328	2.3172	9.1900e- 003	0.8482	8.4500e- 003	0.8567	0.2277	7.9700e- 003	0.2357		944.5239	944.5239	0.0160	0.0634	963.8055

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.474 4	2,556.474 4	0.6010		2,571.498 1
Total	1.3674	12.4697	16.0847	0.0270		0.5276	0.5276		0.4963	0.4963	0.0000	2,556.474 4	2,556.474 4	0.6010		2,571.498 1

CalEEMod Version: CalEEMod.2020.4.0 Page 20 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2025 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0208	0.6157	0.2498	3.2100e- 003	0.1000	5.3700e- 003	0.1054	0.0297	5.1400e- 003	0.0349		340.4802	340.4802	3.8500e- 003	0.0501	355.5172
Worker	0.2066	0.1171	2.0674	5.9800e- 003	0.5686	3.0800e- 003	0.5717	0.1539	2.8300e- 003	0.1568		604.0437	604.0437	0.0122	0.0132	608.2883
Total	0.2274	0.7328	2.3172	9.1900e- 003	0.6687	8.4500e- 003	0.6771	0.1836	7.9700e- 003	0.1916		944.5239	944.5239	0.0160	0.0634	963.8055

3.6 Architectural Coating - 2025 <u>Unmitigated Construction On-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Archit. Coating	31.3633					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e- 003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154	 	281.8319
Total	31.5341	1.1455	1.8091	2.9700e- 003		0.0515	0.0515		0.0515	0.0515		281.4481	281.4481	0.0154		281.8319

CalEEMod Version: CalEEMod.2020.4.0 Page 21 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.6 Architectural Coating - 2025 <u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0413	0.0234	0.4135	1.2000e- 003	0.1453	6.2000e- 004	0.1459	0.0385	5.7000e- 004	0.0391		120.8088	120.8088	2.4400e- 003	2.6400e- 003	121.6577
Total	0.0413	0.0234	0.4135	1.2000e- 003	0.1453	6.2000e- 004	0.1459	0.0385	5.7000e- 004	0.0391		120.8088	120.8088	2.4400e- 003	2.6400e- 003	121.6577

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Archit. Coating	31.3633					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1709	1.1455	1.8091	2.9700e- 003		0.0515	0.0515	1 1 1 1	0.0515	0.0515	0.0000	281.4481	281.4481	0.0154	i i	281.8319
Total	31.5341	1.1455	1.8091	2.9700e- 003		0.0515	0.0515		0.0515	0.0515	0.0000	281.4481	281.4481	0.0154		281.8319

CalEEMod Version: CalEEMod.2020.4.0 Page 22 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.6 Architectural Coating - 2025 Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0413	0.0234	0.4135	1.2000e- 003	0.1137	6.2000e- 004	0.1143	0.0308	5.7000e- 004	0.0314		120.8088	120.8088	2.4400e- 003	2.6400e- 003	121.6577
Total	0.0413	0.0234	0.4135	1.2000e- 003	0.1137	6.2000e- 004	0.1143	0.0308	5.7000e- 004	0.0314		120.8088	120.8088	2.4400e- 003	2.6400e- 003	121.6577

3.7 Paving - 2025

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.745 2	2,206.745 2	0.7137		2,224.587 8
Paving	0.0000				 	0.0000	0.0000	 - -	0.0000	0.0000			0.0000			0.0000
Total	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850		2,206.745 2	2,206.745 2	0.7137		2,224.587 8

CalEEMod Version: CalEEMod.2020.4.0 Page 23 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Paving - 2025
<u>Unmitigated Construction Off-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0477	0.0270	0.4771	1.3800e- 003	0.1677	7.1000e- 004	0.1684	0.0445	6.5000e- 004	0.0451		139.3947	139.3947	2.8100e- 003	3.0500e- 003	140.3742
Total	0.0477	0.0270	0.4771	1.3800e- 003	0.1677	7.1000e- 004	0.1684	0.0445	6.5000e- 004	0.0451		139.3947	139.3947	2.8100e- 003	3.0500e- 003	140.3742

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.745 2	2,206.745 2	0.7137		2,224.587 8
Paving	0.0000					0.0000	0.0000	1 1 1	0.0000	0.0000		 	0.0000			0.0000
Total	0.9152	8.5816	14.5780	0.0228		0.4185	0.4185		0.3850	0.3850	0.0000	2,206.745 2	2,206.745 2	0.7137		2,224.587 8

CalEEMod Version: CalEEMod.2020.4.0 Page 24 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Paving - 2025

<u>Mitigated Construction Off-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0477	0.0270	0.4771	1.3800e- 003	0.1312	7.1000e- 004	0.1319	0.0355	6.5000e- 004	0.0362		139.3947	139.3947	2.8100e- 003	3.0500e- 003	140.3742
Total	0.0477	0.0270	0.4771	1.3800e- 003	0.1312	7.1000e- 004	0.1319	0.0355	6.5000e- 004	0.0362		139.3947	139.3947	2.8100e- 003	3.0500e- 003	140.3742

CalEEMod Version: CalEEMod.2020.4.0 Page 25 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Mitigated	5.1484	6.5957	50.2541	0.1183	12.4652	0.0896	12.5548	3.3253	0.0840	3.4093		12,048.14 39	12,048.14 39	0.5687	0.5475	12,225.51 72
Unmitigated	5.1484	6.5957	50.2541	0.1183	12.4652	0.0896	12.5548	3.3253	0.0840	3.4093		12,048.14 39	12,048.14 39	0.5687	0.5475	12,225.51 72

4.2 Trip Summary Information

	Avei	age Daily Trip Ra	ite	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Single Family Housing	1,708.64	1,726.74	1547.55	5,768,880	5,768,880
Total	1,708.64	1,726.74	1,547.55	5,768,880	5,768,880

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Single Family Housing	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	МН
Single Family Housing	0.540541	0.056458	0.173793	0.136090	0.025268	0.007074	0.011525	0.018705	0.000610	0.000304	0.023606	0.001094	0.004932

CalEEMod Version: CalEEMod.2020.4.0 Page 26 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
NaturalGas Mitigated	0.1513	1.2927	0.5501	8.2500e- 003		0.1045	0.1045		0.1045	0.1045		1,650.261 5	1,650.261 5	0.0316	0.0303	1,660.068 1
NaturalGas Unmitigated	0.1513	1.2927	0.5501	8.2500e- 003		0.1045	0.1045		0.1045	0.1045		1,650.261 5	1,650.261 5	0.0316	0.0303	1,660.068 1

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/d	day		
Single Family Housing	14027.2	0.1513	1.2927	0.5501	8.2500e- 003		0.1045	0.1045		0.1045	0.1045		1,650.261 5	1,650.261 5	0.0316	0.0303	1,660.068 1
Total		0.1513	1.2927	0.5501	8.2500e- 003		0.1045	0.1045		0.1045	0.1045		1,650.261 5	1,650.261 5	0.0316	0.0303	1,660.068 1

CalEEMod Version: CalEEMod.2020.4.0 Page 27 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/d	day							lb/c	lay		
Single Family Housing	14.0272	0.1513	1.2927	0.5501	8.2500e- 003		0.1045	0.1045		0.1045	0.1045		1,650.261 5	1,650.261 5	0.0316	0.0303	1,660.068 1
Total		0.1513	1.2927	0.5501	8.2500e- 003		0.1045	0.1045		0.1045	0.1045		1,650.261 5	1,650.261 5	0.0316	0.0303	1,660.068 1

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Residential Interior

Use Low VOC Paint - Residential Exterior

No Hearths Installed

CalEEMod Version: CalEEMod.2020.4.0 Page 28 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Mitigated	7.4573	0.1718	14.9186	7.9000e- 004		0.0828	0.0828		0.0828	0.0828	0.0000	26.8880	26.8880	0.0258	0.0000	27.5317
Unmitigated	54.8858	3.9273	106.9665	0.2356		13.9091	13.9091		13.9091	13.9091	1,695.412 2	3,284.888 0	4,980.300 2	5.0818	0.1151	5,141.636 7

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/d	day							lb/d	lay		
Architectural Coating	0.5585					0.0000	0.0000	 	0.0000	0.0000			0.0000			0.0000
Consumer Products	6.4508				 	0.0000	0.0000	 	0.0000	0.0000			0.0000		 	0.0000
Hearth	47.4285	3.7555	92.0479	0.2348		13.8263	13.8263		13.8263	13.8263	1,695.412 2	3,258.000 0	4,953.412 2	5.0561	0.1151	5,114.105 0
Landscaping	0.4479	0.1718	14.9186	7.9000e- 004		0.0828	0.0828	 	0.0828	0.0828		26.8880	26.8880	0.0258	 	27.5317
Total	54.8858	3.9273	106.9665	0.2356		13.9091	13.9091		13.9091	13.9091	1,695.412 2	3,284.888 0	4,980.300 2	5.0818	0.1151	5,141.636 7

CalEEMod Version: CalEEMod.2020.4.0 Page 29 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/d	day							lb/c	lay		
Architectural Coating	0.5585					0.0000	0.0000	 	0.0000	0.0000			0.0000			0.0000
Consumer Products	6.4508				 	0.0000	0.0000	 	0.0000	0.0000			0.0000			0.0000
Hearth	0.0000	0.0000	0.0000	0.0000	 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.4479	0.1718	14.9186	7.9000e- 004	 	0.0828	0.0828	 	0.0828	0.0828		26.8880	26.8880	0.0258		27.5317
Total	7.4573	0.1718	14.9186	7.9000e- 004		0.0828	0.0828		0.0828	0.0828	0.0000	26.8880	26.8880	0.0258	0.0000	27.5317

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy

CalEEMod Version: CalEEMod.2020.4.0 Page 30 of 30 Date: 7/19/2022 11:08 AM

TM 38202 San Jacinto - Riverside-South Coast County, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

CalEEMod Version: CalEEMod.2020.4.0 Page 1 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

TM 38202 San Jacinto

Riverside-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Single Family Housing	181.00	Dwelling Unit	58.77	325,800.00	518

Precipitation Freq (Davs)

28

1.2 Other Project Characteristics

Urban

Climate Zone	10		Operational Year	2025
Utility Company	Southern California Ediso	n		

2.4

 CO2 Intensity
 390.98
 CH4 Intensity
 0.033
 N20 Intensity
 0.004

 (lb/MWhr)
 (lb/MWhr)
 (lb/MWhr)
 (lb/MWhr)

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Urbanization

Construction Phase - Construction phaseing modified to accommodate fill import. Architectural coating phase modified to overlap building construction.

Off-road Equipment - Reduced equipment use to two RTDs and two tractor/loader/backhoes operating simultaneously.

Trips and VMT - A total of 136,562 cy of soils would be imported during site preparation and grading.

Wind Speed (m/s)

Grading - Site preparation and grading acreage modified based on SCAQMD LST protocol.

Site prearation and grading includes import of 136,562 cy fill.

Woodstoves - Assumes 5% of units would have natural gas fireplaces.

Construction Off-road Equipment Mitigation - Mitigation assumes paved roads would be cleaned daily to reduce PM emissions by 25%

Area Mitigation -

Water Mitigation -

Waste Mitigation -

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Table Name	Column Name	Default Value	New Value
tblAreaMitigation	UseLowVOCPaintParkingCheck	False	True
tblConstDustMitigation	CleanPavedRoadPercentReduction	0	25
tblConstDustMitigation	WaterUnpavedRoadMoistureContent	0	15
tblConstDustMitigation	WaterUnpavedRoadVehicleSpeed	0	15
tblConstructionPhase	NumDays	75.00	65.00
tblConstructionPhase	NumDays	1,110.00	500.00
tblConstructionPhase	NumDays	70.00	30.00
tblConstructionPhase	NumDays	110.00	70.00
tblConstructionPhase	NumDays	75.00	35.00
tblConstructionPhase	NumDays	40.00	66.00
tblGrading	AcresOfGrading	210.00	350.00
tblGrading	AcresOfGrading	66.00	70.00
tblGrading	MaterialImported	0.00	68,281.00
tblGrading	MaterialImported	0.00	68,281.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	2.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	2.00

2.0 Emissions Summary

CalEEMod Version: CalEEMod.2020.4.0 Page 3 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					ton	s/yr							MT	/yr		
2023	0.3124	3.7183	2.7758	0.0100	1.0398	0.1347	1.1745	0.4143	0.1251	0.5394	0.0000	924.0761	924.0761	0.1313	0.0748	949.6534
2024	0.2212	1.8647	2.4008	4.7100e- 003	0.1093	0.0815	0.1908	0.0294	0.0766	0.1060	0.0000	413.8741	413.8741	0.0739	7.8400e- 003	418.0579
2025	1.1560	1.1420	1.6365	3.1300e- 003	0.0676	0.0476	0.1152	0.0182	0.0448	0.0629	0.0000	274.5275	274.5275	0.0522	4.3100e- 003	277.1175
Maximum	1.1560	3.7183	2.7758	0.0100	1.0398	0.1347	1.1745	0.4143	0.1251	0.5394	0.0000	924.0761	924.0761	0.1313	0.0748	949.6534

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					ton	s/yr							MT	/yr		
2023	0.3124	3.7183	2.7758	0.0100	0.4887	0.1347	0.6234	0.1854	0.1251	0.3105	0.0000	924.0756	924.0756	0.1313	0.0748	949.6529
2024	0.2212	1.8647	2.4008	4.7100e- 003	0.0862	0.0815	0.1677	0.0237	0.0766	0.1004	0.0000	413.8737	413.8737	0.0739	7.8400e- 003	418.0576
2025	1.1560	1.1420	1.6365	3.1300e- 003	0.0533	0.0476	0.1009	0.0146	0.0448	0.0594	0.0000	274.5272	274.5272	0.0522	4.3100e- 003	277.1172
Maximum	1.1560	3.7183	2.7758	0.0100	0.4887	0.1347	0.6234	0.1854	0.1251	0.3105	0.0000	924.0756	924.0756	0.1313	0.0748	949.6529

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	48.36	0.00	39.75	51.56	0.00	33.62	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	1-2-2023	4-1-2023	0.9296	0.9296
2	4-2-2023	7-1-2023	1.3528	1.3528
3	7-2-2023	10-1-2023	1.1667	1.1667
4	10-2-2023	1-1-2024	0.5585	0.5585
5	1-2-2024	4-1-2024	0.5179	0.5179
6	4-2-2024	7-1-2024	0.5170	0.5170
7	7-2-2024	10-1-2024	0.5227	0.5227
8	10-2-2024	1-1-2025	0.5232	0.5232
9	1-2-2025	4-1-2025	0.4765	0.4765
10	4-2-2025	7-1-2025	1.3229	1.3229
11	7-2-2025	9-30-2025	0.4837	0.4837
		Highest	1.3528	1.3528

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Area	1.9281	0.0684	3.0154	3.0300e- 003		0.1832	0.1832		0.1832	0.1832	19.2257	39.9941	59.2198	0.0603	1.3000e- 003	61.1150
Energy	0.0276	0.2359	0.1004	1.5100e- 003		0.0191	0.0191		0.0191	0.0191	0.0000	528.8812	528.8812	0.0268	7.6200e- 003	531.8238
Mobile	0.7892	1.2523	8.1758	0.0199	2.1815	0.0159	2.1974	0.5827	0.0149	0.5977	0.0000	1,835.296 7	1,835.296 7	0.0936	0.0907	1,864.659 2
Waste						0.0000	0.0000		0.0000	0.0000	43.1112	0.0000	43.1112	2.5478	0.0000	106.8062
Water						0.0000	0.0000		0.0000	0.0000	3.7413	41.8809	45.6222	0.3878	9.5000e- 003	58.1489
Total	2.7449	1.5566	11.2917	0.0244	2.1815	0.2182	2.3997	0.5827	0.2172	0.7999	66.0782	2,446.052 9	2,512.131 1	3.1163	0.1091	2,622.553 1

CalEEMod Version: CalEEMod.2020.4.0 Page 6 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Area	1.3352	0.0215	1.8648	1.0000e- 004		0.0104	0.0104		0.0104	0.0104	0.0000	3.0490	3.0490	2.9200e- 003	0.0000	3.1220
Energy	0.0276	0.2359	0.1004	1.5100e- 003		0.0191	0.0191		0.0191	0.0191	0.0000	528.8812	528.8812	0.0268	7.6200e- 003	531.8238
Mobile	0.7892	1.2523	8.1758	0.0199	2.1815	0.0159	2.1974	0.5827	0.0149	0.5977	0.0000	1,835.296 7	1,835.296 7	0.0936	0.0907	1,864.659 2
Waste						0.0000	0.0000		0.0000	0.0000	10.7778	0.0000	10.7778	0.6370	0.0000	26.7016
Water						0.0000	0.0000		0.0000	0.0000	2.9931	33.5047	36.4978	0.3102	7.6000e- 003	46.5191
Total	2.1521	1.5097	10.1411	0.0215	2.1815	0.0454	2.2268	0.5827	0.0444	0.6271	13.7709	2,400.731 7	2,414.502 5	1.0705	0.1059	2,472.825 6

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	21.60	3.02	10.19	12.01	0.00	79.21	7.20	0.00	79.58	21.61	79.16	1.85	3.89	65.65	2.93	5.71

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/2/2023	2/10/2023	5	30	
2	Site Preparation	Site Preparation	2/11/2023	5/15/2023	5	66	
3	Grading	Grading	5/16/2023	8/21/2023	5	70	

Date: 7/19/2022 11:48 AM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

ľ	4	Building Construction	Building Construction	8/22/2023	7/21/2025	5	500	
Ī	5	Architectural Coating	Architectural Coating	4/21/2025	7/19/2025	5	65	
	6	Paving	Paving	7/19/2025	9/5/2025	5	35	

Acres of Grading (Site Preparation Phase): 70

Acres of Grading (Grading Phase): 350

Acres of Paving: 0

Residential Indoor: 659,745; Residential Outdoor: 219,915; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0

(Architectural Coating - sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Architectural Coating	Air Compressors	1	6.00	78	0.48
Paving	Pavers	2	8.00	130	0.42

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Ī	Paving	Paving Equipment	2	8.00	132	0.36
	Paving	Rollers	2	8.00	80	0.38

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	4	10.00	0.00	8,535.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	8,535.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	65.00	19.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	13.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Use Soil Stabilizer

Water Exposed Area

Water Unpaved Roads

Reduce Vehicle Speed on Unpaved Roads

Clean Paved Roads

CalEEMod Version: CalEEMod.2020.4.0 Page 9 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.2 Demolition - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
	0.0340	0.3223	0.2947	5.8000e- 004		0.0150	0.0150		0.0139	0.0139	0.0000	50.9881	50.9881	0.0143	0.0000	51.3451
Total	0.0340	0.3223	0.2947	5.8000e- 004		0.0150	0.0150		0.0139	0.0139	0.0000	50.9881	50.9881	0.0143	0.0000	51.3451

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	7.3000e- 004	5.4000e- 004	7.0400e- 003	2.0000e- 005	2.4700e- 003	1.0000e- 005	2.4800e- 003	6.6000e- 004	1.0000e- 005	6.7000e- 004	0.0000	1.8807	1.8807	5.0000e- 005	5.0000e- 005	1.8967
Total	7.3000e- 004	5.4000e- 004	7.0400e- 003	2.0000e- 005	2.4700e- 003	1.0000e- 005	2.4800e- 003	6.6000e- 004	1.0000e- 005	6.7000e- 004	0.0000	1.8807	1.8807	5.0000e- 005	5.0000e- 005	1.8967

CalEEMod Version: CalEEMod.2020.4.0 Page 10 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.2 Demolition - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
	0.0340	0.3223	0.2947	5.8000e- 004		0.0150	0.0150	1 1 1	0.0139	0.0139	0.0000	50.9880	50.9880	0.0143	0.0000	51.3450
Total	0.0340	0.3223	0.2947	5.8000e- 004		0.0150	0.0150		0.0139	0.0139	0.0000	50.9880	50.9880	0.0143	0.0000	51.3450

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	7.3000e- 004	5.4000e- 004	7.0400e- 003	2.0000e- 005	1.9400e- 003	1.0000e- 005	1.9500e- 003	5.3000e- 004	1.0000e- 005	5.4000e- 004	0.0000	1.8807	1.8807	5.0000e- 005	5.0000e- 005	1.8967
Total	7.3000e- 004	5.4000e- 004	7.0400e- 003	2.0000e- 005	1.9400e- 003	1.0000e- 005	1.9500e- 003	5.3000e- 004	1.0000e- 005	5.4000e- 004	0.0000	1.8807	1.8807	5.0000e- 005	5.0000e- 005	1.8967

CalEEMod Version: CalEEMod.2020.4.0 Page 11 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.3 Site Preparation - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust	11 11 11				0.4389	0.0000	0.4389	0.2231	0.0000	0.2231	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0552	0.5718	0.3523	7.7000e- 004		0.0262	0.0262		0.0241	0.0241	0.0000	67.5727	67.5727	0.0219	0.0000	68.1190
Total	0.0552	0.5718	0.3523	7.7000e- 004	0.4389	0.0262	0.4651	0.2231	0.0241	0.2472	0.0000	67.5727	67.5727	0.0219	0.0000	68.1190

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
ı	9.0200e- 003	0.4496	0.1182	2.3500e- 003	0.0736	5.1500e- 003	0.0788	0.0202	4.9200e- 003	0.0251	0.0000	227.3219	227.3219	3.2100e- 003	0.0358	238.0766
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	1.0700e- 003	7.9000e- 004	0.0103	3.0000e- 005	3.6300e- 003	2.0000e- 005	3.6400e- 003	9.6000e- 004	2.0000e- 005	9.8000e- 004	0.0000	2.7583	2.7583	7.0000e- 005	7.0000e- 005	2.7819
Total	0.0101	0.4504	0.1286	2.3800e- 003	0.0772	5.1700e- 003	0.0824	0.0212	4.9400e- 003	0.0261	0.0000	230.0802	230.0802	3.2800e- 003	0.0359	240.8585

CalEEMod Version: CalEEMod.2020.4.0 Page 12 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.3 Site Preparation - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.1712	0.0000	0.1712	0.0870	0.0000	0.0870	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0552	0.5718	0.3523	7.7000e- 004		0.0262	0.0262		0.0241	0.0241	0.0000	67.5726	67.5726	0.0219	0.0000	68.1189
Total	0.0552	0.5718	0.3523	7.7000e- 004	0.1712	0.0262	0.1974	0.0870	0.0241	0.1111	0.0000	67.5726	67.5726	0.0219	0.0000	68.1189

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	9.0200e- 003	0.4496	0.1182	2.3500e- 003	0.0598	5.1500e- 003	0.0649	0.0168	4.9200e- 003	0.0217	0.0000	227.3219	227.3219	3.2100e- 003	0.0358	238.0766
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.0700e- 003	7.9000e- 004	0.0103	3.0000e- 005	2.8400e- 003	2.0000e- 005	2.8600e- 003	7.7000e- 004	2.0000e- 005	7.9000e- 004	0.0000	2.7583	2.7583	7.0000e- 005	7.0000e- 005	2.7819
Total	0.0101	0.4504	0.1286	2.3800e- 003	0.0626	5.1700e- 003	0.0678	0.0176	4.9400e- 003	0.0225	0.0000	230.0802	230.0802	3.2800e- 003	0.0359	240.8585

CalEEMod Version: CalEEMod.2020.4.0 Page 13 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.4 Grading - 2023
<u>Unmitigated Construction On-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/уг		
Fugitive Dust					0.4007	0.0000	0.4007	0.1366	0.0000	0.1366	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.1163	1.2081	0.9818	2.1700e- 003		0.0499	0.0499		0.0459	0.0459	0.0000	190.8732	190.8732	0.0617	0.0000	192.4165
Total	0.1163	1.2081	0.9818	2.1700e- 003	0.4007	0.0499	0.4505	0.1366	0.0459	0.1824	0.0000	190.8732	190.8732	0.0617	0.0000	192.4165

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
,	9.0200e- 003	0.4496	0.1182	2.3500e- 003	0.0736	5.1500e- 003	0.0788	0.0202	4.9200e- 003	0.0251	0.0000	227.3219	227.3219	3.2100e- 003	0.0358	238.0766
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
VVOINGI	2.2700e- 003	1.6800e- 003	0.0219	6.0000e- 005	7.6900e- 003	4.0000e- 005	7.7300e- 003	2.0400e- 003	3.0000e- 005	2.0800e- 003	0.0000	5.8510	5.8510	1.5000e- 004	1.6000e- 004	5.9009
Total	0.0113	0.4513	0.1401	2.4100e- 003	0.0813	5.1900e- 003	0.0865	0.0223	4.9500e- 003	0.0272	0.0000	233.1729	233.1729	3.3600e- 003	0.0360	243.9775

CalEEMod Version: CalEEMod.2020.4.0 Page 14 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.4 Grading - 2023

<u>Mitigated Construction On-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/уг		
Fugitive Dust					0.1563	0.0000	0.1563	0.0533	0.0000	0.0533	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.1163	1.2080	0.9818	2.1700e- 003		0.0499	0.0499		0.0459	0.0459	0.0000	190.8730	190.8730	0.0617	0.0000	192.4163
Total	0.1163	1.2080	0.9818	2.1700e- 003	0.1563	0.0499	0.2061	0.0533	0.0459	0.0991	0.0000	190.8730	190.8730	0.0617	0.0000	192.4163

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/уг		
Hauling	9.0200e- 003	0.4496	0.1182	2.3500e- 003	0.0598	5.1500e- 003	0.0649	0.0168	4.9200e- 003	0.0217	0.0000	227.3219	227.3219	3.2100e- 003	0.0358	238.0766
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.2700e- 003	1.6800e- 003	0.0219	6.0000e- 005	6.0300e- 003	4.0000e- 005	6.0600e- 003	1.6300e- 003	3.0000e- 005	1.6700e- 003	0.0000	5.8510	5.8510	1.5000e- 004	1.6000e- 004	5.9009
Total	0.0113	0.4513	0.1401	2.4100e- 003	0.0658	5.1900e- 003	0.0710	0.0185	4.9500e- 003	0.0234	0.0000	233.1729	233.1729	3.3600e- 003	0.0360	243.9775

CalEEMod Version: CalEEMod.2020.4.0 Page 15 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2023 <u>Unmitigated Construction On-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
	0.0739	0.6761	0.7635	1.2700e- 003		0.0329	0.0329		0.0310	0.0310	0.0000	108.9482	108.9482	0.0259	0.0000	109.5962
Total	0.0739	0.6761	0.7635	1.2700e- 003		0.0329	0.0329		0.0310	0.0310	0.0000	108.9482	108.9482	0.0259	0.0000	109.5962

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1	9.7000e- 004	0.0306	0.0122	1.6000e- 004	5.6400e- 003	2.5000e- 004	5.9000e- 003	1.6300e- 003	2.4000e- 004	1.8700e- 003	0.0000	15.0248	15.0248	1.5000e- 004	2.2200e- 003	15.6906
Worker	9.9100e- 003	7.3400e- 003	0.0957	2.8000e- 004	0.0336	1.6000e- 004	0.0337	8.9200e- 003	1.5000e- 004	9.0600e- 003	0.0000	25.5353	25.5353	6.4000e- 004	6.8000e- 004	25.7533
Total	0.0109	0.0380	0.1079	4.4000e- 004	0.0392	4.1000e- 004	0.0396	0.0106	3.9000e- 004	0.0109	0.0000	40.5601	40.5601	7.9000e- 004	2.9000e- 003	41.4439

CalEEMod Version: CalEEMod.2020.4.0 Page 16 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2023

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0739	0.6761	0.7635	1.2700e- 003		0.0329	0.0329		0.0310	0.0310	0.0000	108.9481	108.9481	0.0259	0.0000	109.5960
Total	0.0739	0.6761	0.7635	1.2700e- 003		0.0329	0.0329		0.0310	0.0310	0.0000	108.9481	108.9481	0.0259	0.0000	109.5960

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	-/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	9.7000e- 004	0.0306	0.0122	1.6000e- 004	4.6400e- 003	2.5000e- 004	4.9000e- 003	1.3800e- 003	2.4000e- 004	1.6300e- 003	0.0000	15.0248	15.0248	1.5000e- 004	2.2200e- 003	15.6906
	9.9100e- 003	7.3400e- 003	0.0957	2.8000e- 004	0.0263	1.6000e- 004	0.0265	7.1300e- 003	1.5000e- 004	7.2800e- 003	0.0000	25.5353	25.5353	6.4000e- 004	6.8000e- 004	25.7533
Total	0.0109	0.0380	0.1079	4.4000e- 004	0.0309	4.1000e- 004	0.0314	8.5100e- 003	3.9000e- 004	8.9100e- 003	0.0000	40.5601	40.5601	7.9000e- 004	2.9000e- 003	41.4439

CalEEMod Version: CalEEMod.2020.4.0 Page 17 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2024 <u>Unmitigated Construction On-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.1928	1.7611	2.1179	3.5300e- 003		0.0803	0.0803		0.0756	0.0756	0.0000	303.7223	303.7223	0.0718	0.0000	305.5179
Total	0.1928	1.7611	2.1179	3.5300e- 003		0.0803	0.0803		0.0756	0.0756	0.0000	303.7223	303.7223	0.0718	0.0000	305.5179

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Verider	2.6600e- 003	0.0853	0.0336	4.3000e- 004	0.0157	7.0000e- 004	0.0164	4.5400e- 003	6.7000e- 004	5.2100e- 003	0.0000	41.2324	41.2324	4.4000e- 004	6.0900e- 003	43.0574
Worker	0.0258	0.0182	0.2493	7.5000e- 004	0.0936	4.2000e- 004	0.0940	0.0249	3.9000e- 004	0.0252	0.0000	68.9193	68.9193	1.6100e- 003	1.7600e- 003	69.4826
Total	0.0284	0.1036	0.2829	1.1800e- 003	0.1093	1.1200e- 003	0.1105	0.0294	1.0600e- 003	0.0305	0.0000	110.1518	110.1518	2.0500e- 003	7.8500e- 003	112.5401

CalEEMod Version: CalEEMod.2020.4.0 Page 18 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2024 Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
	0.1928	1.7611	2.1179	3.5300e- 003		0.0803	0.0803		0.0756	0.0756	0.0000	303.7220	303.7220	0.0718	0.0000	305.5175
Total	0.1928	1.7611	2.1179	3.5300e- 003		0.0803	0.0803		0.0756	0.0756	0.0000	303.7220	303.7220	0.0718	0.0000	305.5175

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	2.6600e- 003	0.0853	0.0336	4.3000e- 004	0.0129	7.0000e- 004	0.0136	3.8500e- 003	6.7000e- 004	4.5300e- 003	0.0000	41.2324	41.2324	4.4000e- 004	6.0900e- 003	43.0574
Worker	0.0258	0.0182	0.2493	7.5000e- 004	0.0733	4.2000e- 004	0.0737	0.0199	3.9000e- 004	0.0203	0.0000	68.9193	68.9193	1.6100e- 003	1.7600e- 003	69.4826
Total	0.0284	0.1036	0.2829	1.1800e- 003	0.0862	1.1200e- 003	0.0874	0.0237	1.0600e- 003	0.0248	0.0000	110.1518	110.1518	2.0500e- 003	7.8500e- 003	112.5401

CalEEMod Version: CalEEMod.2020.4.0 Page 19 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2025 <u>Unmitigated Construction On-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0985	0.8978	1.1581	1.9400e- 003		0.0380	0.0380		0.0357	0.0357	0.0000	166.9820	166.9820	0.0393	0.0000	167.9633
Total	0.0985	0.8978	1.1581	1.9400e- 003		0.0380	0.0380		0.0357	0.0357	0.0000	166.9820	166.9820	0.0393	0.0000	167.9633

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	-/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	1.4400e- 003	0.0465	0.0183	2.3000e- 004	8.6400e- 003	3.9000e- 004	9.0300e- 003	2.4900e- 003	3.7000e- 004	2.8600e- 003	0.0000	22.2628	22.2628	2.5000e- 004	3.2800e- 003	23.2465
Worker	0.0133	8.9700e- 003	0.1276	4.0000e- 004	0.0514	2.2000e- 004	0.0517	0.0137	2.0000e- 004	0.0139	0.0000	36.5947	36.5947	8.0000e- 004	9.0000e- 004	36.8829
Total	0.0147	0.0555	0.1458	6.3000e- 004	0.0601	6.1000e- 004	0.0607	0.0162	5.7000e- 004	0.0167	0.0000	58.8574	58.8574	1.0500e- 003	4.1800e- 003	60.1294

CalEEMod Version: CalEEMod.2020.4.0 Page 20 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.5 Building Construction - 2025 Mitigated Construction On-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0985	0.8978	1.1581	1.9400e- 003		0.0380	0.0380		0.0357	0.0357	0.0000	166.9818	166.9818	0.0393	0.0000	167.9631
Total	0.0985	0.8978	1.1581	1.9400e- 003		0.0380	0.0380		0.0357	0.0357	0.0000	166.9818	166.9818	0.0393	0.0000	167.9631

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vollage	1.4400e- 003	0.0465	0.0183	2.3000e- 004	7.1100e- 003	3.9000e- 004	7.5000e- 003	2.1200e- 003	3.7000e- 004	2.4900e- 003	0.0000	22.2628	22.2628	2.5000e- 004	3.2800e- 003	23.2465
Worker	0.0133	8.9700e- 003	0.1276	4.0000e- 004	0.0403	2.2000e- 004	0.0405	0.0109	2.0000e- 004	0.0111	0.0000	36.5947	36.5947	8.0000e- 004	9.0000e- 004	36.8829
Total	0.0147	0.0555	0.1458	6.3000e- 004	0.0474	6.1000e- 004	0.0480	0.0130	5.7000e- 004	0.0136	0.0000	58.8574	58.8574	1.0500e- 003	4.1800e- 003	60.1294

CalEEMod Version: CalEEMod.2020.4.0 Page 21 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.6 Architectural Coating - 2025 <u>Unmitigated Construction On-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	-/yr		
Archit. Coating	1.0193					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
' ' ' '	5.5500e- 003	0.0372	0.0588	1.0000e- 004		1.6700e- 003	1.6700e- 003		1.6700e- 003	1.6700e- 003	0.0000	8.2981	8.2981	4.5000e- 004	0.0000	8.3094
Total	1.0249	0.0372	0.0588	1.0000e- 004		1.6700e- 003	1.6700e- 003		1.6700e- 003	1.6700e- 003	0.0000	8.2981	8.2981	4.5000e- 004	0.0000	8.3094

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2000e- 003	8.1000e- 004	0.0115	4.0000e- 005	4.6400e- 003	2.0000e- 005	4.6600e- 003	1.2300e- 003	2.0000e- 005	1.2500e- 003	0.0000	3.3037	3.3037	7.0000e- 005	8.0000e- 005	3.3297
Total	1.2000e- 003	8.1000e- 004	0.0115	4.0000e- 005	4.6400e- 003	2.0000e- 005	4.6600e- 003	1.2300e- 003	2.0000e- 005	1.2500e- 003	0.0000	3.3037	3.3037	7.0000e- 005	8.0000e- 005	3.3297

CalEEMod Version: CalEEMod.2020.4.0 Page 22 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.6 Architectural Coating - 2025 Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Archit. Coating	1.0193					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	5.5500e- 003	0.0372	0.0588	1.0000e- 004		1.6700e- 003	1.6700e- 003	 	1.6700e- 003	1.6700e- 003	0.0000	8.2981	8.2981	4.5000e- 004	0.0000	8.3094
Total	1.0249	0.0372	0.0588	1.0000e- 004		1.6700e- 003	1.6700e- 003		1.6700e- 003	1.6700e- 003	0.0000	8.2981	8.2981	4.5000e- 004	0.0000	8.3094

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2000e- 003	8.1000e- 004	0.0115	4.0000e- 005	3.6400e- 003	2.0000e- 005	3.6600e- 003	9.9000e- 004	2.0000e- 005	1.0000e- 003	0.0000	3.3037	3.3037	7.0000e- 005	8.0000e- 005	3.3297
Total	1.2000e- 003	8.1000e- 004	0.0115	4.0000e- 005	3.6400e- 003	2.0000e- 005	3.6600e- 003	9.9000e- 004	2.0000e- 005	1.0000e- 003	0.0000	3.3037	3.3037	7.0000e- 005	8.0000e- 005	3.3297

CalEEMod Version: CalEEMod.2020.4.0 Page 23 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Paving - 2025
<u>Unmitigated Construction On-Site</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0160	0.1502	0.2551	4.0000e- 004		7.3200e- 003	7.3200e- 003		6.7400e- 003	6.7400e- 003	0.0000	35.0337	35.0337	0.0113	0.0000	35.3170
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0160	0.1502	0.2551	4.0000e- 004		7.3200e- 003	7.3200e- 003		6.7400e- 003	6.7400e- 003	0.0000	35.0337	35.0337	0.0113	0.0000	35.3170

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4000e- 004	5.0000e- 004	7.1500e- 003	2.0000e- 005	2.8900e- 003	1.0000e- 005	2.9000e- 003	7.7000e- 004	1.0000e- 005	7.8000e- 004	0.0000	2.0526	2.0526	4.0000e- 005	5.0000e- 005	2.0688
Total	7.4000e- 004	5.0000e- 004	7.1500e- 003	2.0000e- 005	2.8900e- 003	1.0000e- 005	2.9000e- 003	7.7000e- 004	1.0000e- 005	7.8000e- 004	0.0000	2.0526	2.0526	4.0000e- 005	5.0000e- 005	2.0688

CalEEMod Version: CalEEMod.2020.4.0 Page 24 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

3.7 Paving - 2025

<u>Mitigated Construction On-Site</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Off-Road	0.0160	0.1502	0.2551	4.0000e- 004		7.3200e- 003	7.3200e- 003		6.7400e- 003	6.7400e- 003	0.0000	35.0337	35.0337	0.0113	0.0000	35.3169
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0160	0.1502	0.2551	4.0000e- 004		7.3200e- 003	7.3200e- 003		6.7400e- 003	6.7400e- 003	0.0000	35.0337	35.0337	0.0113	0.0000	35.3169

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4000e- 004	5.0000e- 004	7.1500e- 003	2.0000e- 005	2.2600e- 003	1.0000e- 005	2.2700e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	2.0526	2.0526	4.0000e- 005	5.0000e- 005	2.0688
Total	7.4000e- 004	5.0000e- 004	7.1500e- 003	2.0000e- 005	2.2600e- 003	1.0000e- 005	2.2700e- 003	6.1000e- 004	1.0000e- 005	6.2000e- 004	0.0000	2.0526	2.0526	4.0000e- 005	5.0000e- 005	2.0688

CalEEMod Version: CalEEMod.2020.4.0 Page 25 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr				MT	/yr					
Mitigated	0.7892	1.2523	8.1758	0.0199	2.1815	0.0159	2.1974	0.5827	0.0149	0.5977	0.0000	1,835.296 7	1,835.296 7	0.0936	0.0907	1,864.659 2
Unmitigated	0.7892	1.2523	8.1758	0.0199	2.1815	0.0159	2.1974	0.5827	0.0149	0.5977	0.0000	1,835.296 7	1,835.296 7	0.0936	0.0907	1,864.659 2

4.2 Trip Summary Information

	Aver	age Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday Saturday Sunday		Sunday	Annual VMT	Annual VMT
Single Family Housing	1,708.64	1,726.74	1547.55	5,768,880	5,768,880
Total	1,708.64	1,726.74	1,547.55	5,768,880	5,768,880

4.3 Trip Type Information

					Trip %		Trip Purpose %				
Land Use	H-W or C-W H-S or C-C H-O or C-NW			H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by		
Single Family Housing	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3		

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Single Family Housing	0.540541	0.056458	0.173793	0.136090	0.025268	0.007074	0.011525	0.018705	0.000610	0.000304	0.023606	0.001094	0.004932

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	255.6620	255.6620	0.0216	2.6200e- 003	256.9809
Electricity Unmitigated	,					0.0000	0.0000	 	0.0000	0.0000	0.0000	255.6620	255.6620	0.0216	2.6200e- 003	256.9809
NaturalGas Mitigated	0.0276	0.2359	0.1004	1.5100e- 003		0.0191	0.0191	 	0.0191	0.0191	0.0000	273.2193	273.2193	5.2400e- 003	5.0100e- 003	274.8429
NaturalGas Unmitigated	0.0276	0.2359	0.1004	1.5100e- 003		0.0191	0.0191		0.0191	0.0191	0.0000	273.2193	273.2193	5.2400e- 003	5.0100e- 003	274.8429

CalEEMod Version: CalEEMod.2020.4.0 Page 27 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.2 Energy by Land Use - NaturalGas <u>Unmitigated</u>

NaturalGa ROG NOx CO SO2 Fugitive PM10 PM10 PM2.5 Bio- CO2 NBio- CO2 Total CO2 CH4 N2O CO2e Exhaust **Fugitive** Exhaust PM10 PM2.5 s Use Total PM2.5 Total MT/yr Land Use kBTU/yr tons/yr 5.11994e +006 273.2193 273.2193 5.2400e-274.8429 Single Family 0.0276 0.2359 0.1004 1.5100e-0.0191 0.0191 0.0191 0.0191 0.0000 5.0100e-Housing 003 003 003 0.0276 0.2359 1.5100e-0.0191 0.0191 0.0000 273.2193 273.2193 274.8429 0.1004 0.0191 0.0191 5.2400e-5.0100e-Total 003 003

Mitigated

	NaturalGa s Use	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	-/yr		
Single Family Housing	5.11994e +006	0.0276	0.2359	0.1004	1.5100e- 003		0.0191	0.0191		0.0191	0.0191	0.0000	273.2193	273.2193	5.2400e- 003	5.0100e- 003	274.8429
Total		0.0276	0.2359	0.1004	1.5100e- 003		0.0191	0.0191		0.0191	0.0191	0.0000	273.2193	273.2193	5.2400e- 003	5.0100e- 003	274.8429

CalEEMod Version: CalEEMod.2020.4.0 Page 28 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.3 Energy by Land Use - Electricity Unmitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		MT	/yr	
Single Family Housing	1.4416e +006	255.6620	0.0216	2.6200e- 003	256.9809
Total		255.6620	0.0216	2.6200e- 003	256.9809

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	-/yr	
Single Family Housing	1.4416e +006	255.6620	0.0216	2.6200e- 003	256.9809
Total		255.6620	0.0216	2.6200e- 003	256.9809

6.0 Area Detail

6.1 Mitigation Measures Area

Use Low VOC Paint - Residential Interior

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Use Low VOC Paint - Residential Exterior

No Hearths Installed

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	1.3352	0.0215	1.8648	1.0000e- 004		0.0104	0.0104	 	0.0104	0.0104	0.0000	3.0490	3.0490	2.9200e- 003	0.0000	3.1220
Unmitigated	1.9281	0.0684	3.0154	3.0300e- 003		0.1832	0.1832	 	0.1832	0.1832	19.2257	39.9941	59.2198	0.0603	1.3000e- 003	61.1150

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							MT	/yr		
Architectural Coating	. 0.1013					0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	1.1773				 	0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.5929	0.0469	1.1506	2.9400e- 003		0.1728	0.1728		0.1728	0.1728	19.2257	36.9451	56.1708	0.0573	1.3000e- 003	57.9930
Landscaping	0.0560	0.0215	1.8648	1.0000e- 004		0.0104	0.0104		0.0104	0.0104	0.0000	3.0490	3.0490	2.9200e- 003	0.0000	3.1220
Total	1.9281	0.0684	3.0154	3.0400e- 003		0.1832	0.1832		0.1832	0.1832	19.2257	39.9941	59.2198	0.0603	1.3000e- 003	61.1150

CalEEMod Version: CalEEMod.2020.4.0 Page 31 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							MT	/yr		
Architectural Coating	0.1019					0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	1.1773				i I	0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0000	0.0000	0.0000	0.0000	i I	0.0000	0.0000	 	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	0.0560	0.0215	1.8648	1.0000e- 004	 	0.0104	0.0104	 	0.0104	0.0104	0.0000	3.0490	3.0490	2.9200e- 003	0.0000	3.1220
Total	1.3352	0.0215	1.8648	1.0000e- 004		0.0104	0.0104		0.0104	0.0104	0.0000	3.0490	3.0490	2.9200e- 003	0.0000	3.1220

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

	Total CO2	CH4	N2O	CO2e
Category		МТ	-/yr	
ga.ca	36.4978	0.3102	7.6000e- 003	46.5191
Unmitigated	45.6222	0.3878	9.5000e- 003	58.1489

7.2 Water by Land Use <u>Unmitigated</u>

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		MT	-/yr	
Single Family Housing	11.7929 / 7.43464	45.6222	0.3878	9.5000e- 003	58.1489
Total		45.6222	0.3878	9.5000e- 003	58.1489

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

7.2 Water by Land Use

Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Single Family Housing		36.4978	0.3102	7.6000e- 003	46.5191
Total		36.4978	0.3102	7.6000e- 003	46.5191

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

Category/Year

	Total CO2	CH4	N2O	CO2e
		MT	-/yr	
Mitigated	10.7770	0.6370	0.0000	26.7016
Unmitigated		2.5478	0.0000	106.8062

Date: 7/19/2022 11:48 AM

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

8.2 Waste by Land Use

Unmitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Single Family Housing	212.38	43.1112	2.5478	0.0000	106.8062
Total		43.1112	2.5478	0.0000	106.8062

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Single Family Housing	53.095	10.7778	0.6370	0.0000	26.7016
Total		10.7778	0.6370	0.0000	26.7016

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

CalEEMod Version: CalEEMod.2020.4.0 Page 35 of 35 Date: 7/19/2022 11:48 AM

TM 38202 San Jacinto - Riverside-South Coast County, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
-----------------------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number

11.0 Vegetation